

# Penn Conventioal Reel- Line Comparison

	Mono Capacity	Braid Capacity			
		40 lb	50 lb	60 lb	80 lb
<b>Penn Misc Reels</b>					
80 Conventional	150/12	164	132	110	82
95 Coronado (1930s)	300/12	327	263	219	163
99 Silver Beach	420/20	760	611	509	379
130 Sailfisher	275/30	745	599	499	371
285, 285M Delmar	275/30	745	599	499	371
350M Levelline	300/30	654	520	433	322
<b>Penn Baymaster</b>					
180 Baymaster	250/20	452	362	302	225
185 Baymaster	250/20	452	362	302	225
<b>Penn Beachmaster</b>					
155, 155M, 155L Beachmaster	250/30	677	545	454	338
160, 160M, 160L Beachmaster	175/30	474	381	318	237
165, 165M, 165L Beachmaster	175/30	474	381	318	237
<b>Penn Defiance</b>					
DFN20LW Defiance Levelwind	275/20	498	401	334	248
DFN25LW Defiance Levelwind	330/20	597	480	400	298
DFN30 Defiance	390/25	883	710	592	440
DFN40LW Defiance Levelwind	340/30	921	741	618	460
<b>Penn Fathom Levelwind</b>					
FTH15LW Fathom Levelwind	220/20	398	320	267	199
FTH20LW Fathom Levelwind	260/20	470	378	315	234
FTH25LW Fathom Levelwind	330/20	597	480	400	298
FTH40LW Fathom Levelwind	340/40	1231	990	825	614
FTH60LW Fathom Levelwind	440/40	1593	1281	1068	794
<b>Penn Fathom Star Drag</b>					
FTHSD12 Fathom Star Drag	230/15	314	253	211	157
FTHSD15 Fathom Star Drag	280/15	382	307	256	190
FTHSD25N Fathom Star Drag	320/20	579	480	400	298

FTHSD30 Fathom Star Drag	440/20	796	640	534	397
FTHSD40 Fathom Star Drag	390/30	1057	850	709	527
<b>Penn Fathom Lever Drag</b>					
FTH15LD Fathom Lever Drag	220/820	398	320	267	199
FTH25NLD Fathom Lever Drag	330/20	597	480	400	298
FTH30LD Fathom Lever Drag	440/20	796	640	534	397
FTH40NLD Fathom High Speed Lever Drag	410/30	1111	894	745	554
<b>Penn Fathom Lever Drag 2-Speed</b>					
FTH15LD2 Fathom Lever Drag 2-Speed	200/20	362	291	243	181
FTH25NLD2 Fathom Lever Drag 2-Speed	330/20	597	480	400	298
FTH30LD2 Fathom Lever Drag 2-Speed	440/20	796	640	534	397
FTH60LD2 Fathom Lever Drag 2-Speed	480/40	1738	1398	1165	867
<b>Penn Formula KG/LD</b>					
10KG Formula Graphite Leverdrag 2-Speed	800/20	1448	1165	971	722
15KG Formula Graphite Leverdrag 2-Speed	600/30	1626	1308	1090	811
24KG Formula Graphite Leverdrag 2-Speed	600/50	2729	2151	1793	1361
<b>Penn GLD</b>					
GLD20	675/20	1225	985	821	611
GLD30	600/30	1626	1308	1090	811
GLD50II	490/60	2675	2151	1793	1334
<b>Penn GLS Graphite Leverdrag Senator</b>					
25GLS	425/20	769	619	516	384
45GLS	475/30	1287	1035	863	642
<b>Penn High Speed Performance Graphite</b>					
<b>GS Series</b>					
525GS	275/15	375	302	252	187
535GS	400/15	546	439	366	272
545GS	420/20	760	611	509	379
555GS	600/20	1086	873	728	542
<b>MAG Series</b>					
525MAG	275/15	375	302	252	187
535MAG	400/15	546	439	366	272
545MAG	420/20	760	611	509	379

555MAG	600/20	1086	873	728	542
<b>Penn Graphite Leverdrag</b>					
225LD Graphite Leverdrag	425/20	769	619	516	384
245LD Graphite Leverdrag	425/20	769	619	516	384
246LD Graphite Leverdrag	425/20	769	619	516	384
<b>Penn GT LevelWind</b>					
310GT, 310GTi Super LevelWind	325/15	443	356	29	221
320GT, 320GTi Super LevelWind	325/15	443	356	297	221
330GT, 330GTi Super LevelWind	325/15	443	356	297	221
330LD Super LevelWind Leverdrag	350/30	948	762	635	472
340GT, 340GTi Super LevelWind	475/30	1287	1035	863	642
345GT, 345GTi Super LevelWind	375/50	1706	1372	1144	851
<b>Penn GT2 LevelWind</b>					
310GT2 Super LevelWind Series 2	330/15	478	384	320	238
320GT2 Super LevelWind Series 2	410/15	559	450	375	279
330GT2 Super LevelWind Series 2	330/30	894	719	599	446
340GT2 Super LevelWind Series 2	440/30	1192	959	799	594
345GT2 Super LevelWind Series 2	575/30	1558	1253	1045	777
<b>Penn GTO</b>					
220GTO	320/20	579	466	388	289
230GTO	320/30	867	697	581	432
<b>International</b>					
<b>VSX</b>					
VSX 12	525/20	950	764	637	474
VSX 16	700/20	1267	1019	849	632
VSX 30	650/100	5885	4733	3946	2935
VSX 130	525/200	9512	7650	6377	4744
<b>VS2</b>					
VS2 16	700/20	1267	1019	849	632
VS2 30	480/60	2620	2107	1756	1306
VS2 50	725/60	3957	3183	2654	1974
VS2 70	420/130	4952	3983	3320	2470
VS2 80	700/130	8253	6638	5534	4117

<b>International V</b>					
Int'l V 12	525/20	950	764	637	474
Int'l V 30	480/60	2620	2107	1756	1306
Int'l V 50	725/60	3957	3183	2654	1974
<b>Penn Jigmaster</b>					
500, 500L Jigmaster	275/30	745	599	499	371
500S Jigmaster	300/30	813	654	545	405
501 Jigmaster Narrow Spool	500/12	545	438	365	272
505HS Jigmaster High Speed	275/30	745	599	499	371
506HS Jigmaster High Speed	500/12	545	438	365	272
<b>Penn Levelmatic</b>					
910 Levelmatic Narrow Counterbalanced Handle	175/12	191	154	128	95
920 Levelmatic Narrow Counterbalanced Handle	175/12	191	154	128	95
930 Levelmatic with Counterbalanced Handle	225/12	245	197	164	122
940 Levelmatic with Power Handle	225/12	245	197	164	122
<b>Penn Line Counter</b>					
855LC	200/15	273	220	163	121
875LC	350/20	633	509	424	315
895LC	400/20	724	582	485	361
<b>Penn Longbeach / Long Beach</b>					
60 Longbeach	275/30	745	599	499	371
65 Longbeach	350/30	948	762	635	472
66 Longbeach	275/50	1251	1006	839	624
67 Longbeach	325/50	1478	1189	991	737
68 Longbeach	400/50	1048	843	703	523
267 Long Beach	475/30	1287	1035	863	642
268 Long Beach	600/30	1626	1308	1090	811
259 Long Beach Deluxe	300/30	813	654	545	405
<b>Penn Mag Power</b>					
970 Mag Power	275/20	498	401	334	248
980 Mag Power	400/20	724	582	485	361
990 Mag Power	325/30	881	709	591	440
<b>Penn Mag Tuned</b>					

10 Mag Tuned	275/15	375	302	252	187
210M Mag Tuned	350/20	633	509	424	315
<b>Penn Mariner</b>					
49, 49L Super Mariner	300/30	813	654	545	405
149, 149L, 149M Mariner	300/30	813	654	545	405
249 Mariner (Penn Angler)	250/12	273	220	183	136
349 Master Mariner	350/30	948	762	635	472
349H Master Mariner	350/30	948	762	635	472
349HC Master Mariner	350/30	948	762	635	472
<b>Penn Monofil</b>					
25, 25M Monofil	450/15	614	494	42	306
26, 26M Monofil	400/15	546	439	366	272
27, 27M Monofil	300/15	409	329	274	204
<b>Penn General Purpose Levelwind</b>					
9, 9M, 9F, 9S, 9MF, 9MS Peerless Monofil	275/15	375	302	252	187
109, 109M, 109F, 109S, 109MF, 109MS Peer Monofil	275/15	375	302	252	187
209, 209M Peer Monofil Sr.	350/20	633	509	424	315
309M Super Peer	350/20	633	509	424	315
<b>Penn "Sea" Series</b>					
42 Seahawk	150/9	137	110	92	68
77 Sea-Hawk	125/30	339	273	228	170
78 Sea-Scamp	200/30	542	436	363	270
79 Sea-Mate	525/20	950	764	637	474
125 Seagate, Sea-Gate	275/30	745	599	499	371
Seaford (1930s)					
<b>Penn Seaboy</b>					
85 Seaboy	400/20	724	582	485	361
185 Seaboy (1990+)	400/20	724	582	485	361
190 Seaboy (up to 1990)	250/20	452	364	303	225
190 Seaboy (1990+)	400/20	724	582	485	361
<b>Penn Senator</b>					
110 (1/0)	225/20	407	327	273	203
111 (2/0)	225/30	610	491	409	304

112 (3/0) (Black)	375/30	1016	817	681	507
113 (4/0) (Black)	440/30	1192	959	799	594
113HN (4/0) Baja Special	350/30	948	762	635	472
113MTL (4/0) Metal	475/30	1287	1035	863	642
114 (6/0) (Black)	725/30	1964	1580	1317	980
115L (9/0) (Black)	625/60	3411	2743	2287	1701
116A (10/0) (Black)	650/80	4704	3783	3154	2346
116L (12/0) (Black)	1000/100	9053	7281	6070	4516
117L (14/0) (Black)	750/130	8842	7112	5929	4411
118 (16/0) (Black)	1000/130	11790	9483	7905	5881
<b>Penn Special Senator</b>					
112H (3/0) Special (Red)	300/30	813	654	545	405
113H (4/0) Special (Red)	440/30	1192	959	799	594
113HLW (4/0) Special (Red)	310/60	1692	1361	1135	844
114H (6/0) Special (Red)	390/60	2129	1712	1417	1062
114HLW (6/0) Special (Red)	490/60	2675	2151	1793	1334
<b>Penn Squall Star Drag</b>					
SQL12	160/20	290	233	194	144
SQL15	190/20	344	277	231	172
SQL25N	320/20	579	466	388	289
SQL30	440/20	796	640	534	397
SQL40	350/30	948	762	635	472
<b>Penn Squall Lever Drag</b>					
SQL30LD	390/20	706	568	474	353
SQL40LD	360/30	975	784	654	487
SQL50LD	500/30	1355	1090	909	676
SQL60LD	500/40	1810	1456	1214	903
<b>Penn Squall Lever Drag 2 Speed LD2</b>					
SQL16VS	540/30	1463	1177	981	730
SQL30VSW	1035/30	2805	2256	1881	1399
SQL50VSW	1550/30	4200	3378	2816	2095
<b>Penn Squall LevelWind</b>					
SQL15LW	190/20	344	277	231	172

SQL20LW	315/20	570	458	382	284
SQL30LW	440/20	796	640	534	397
SQL50LW	435/40	1575	1267	1056	786
<b>Penn Squidder</b>					
140, 140L Squidder	350/20	813	654	545	405
145, 145L Squidder	275/20	498	401	334	248
146, 146L Squidder	220/20	398	320	267	199
<b>Penn Surfmaster</b>					
100, 100M Surfmaster	220/20	398	320	267	199
150, 150M, 150L Surfmaster	175/30	474	381	318	237
200, 200M, 200L Surfmaster	250/30	677	545	454	338
250 Surfmaster	300/30	813	654	545	405