

BATSON RAINSHADOW GUIDE SPACING CHARTS

RX8+ 4 & 5 Piece Travel Fly Rod Blanks Featuring RX8+ Graphite (Available In Satin Black)

model	desc/ length	sect	line wt	guide spacing & amount of guides										
RX8+864-4	Satin Black 8'6"	4	4	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"		
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
RX8+904-4	Satin Black 9'0"	4	4	3.625"	8"	13.25"	19.5"	27.25"	35.75"	45"	54.625"	66"	78"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX8+865-4	Satin Black 8'6"	4	5	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"		
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
RX8+905-4	Satin Black 9'0"	4	5	3.625"	8"	13.25"	19.5"	27.25"	35.75"	45"	54.625"	66"	78"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX8+905-5	Satin Black 9'0"	5	5	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	43"	53.25"	64.75"	77.25"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX8+906-4	Satin Black 9'0"	4	6	3.625"	8"	13.25"	19.5"	27.25"	35.75"	45"	54.625"	66"	78"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX8+907-4	Satin Black 9'0"	4	7	3.5"	8"	13.25"	19.25"	27.25"	35.75"	44.75"	54.25"	65.5"	77.5"	
				4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
RX8+967-4	Satin Black 9'6"	4	7	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
				4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	16 (ud)
RX8+908-4	Satin Black 9'0"	4	8	3.5"	8"	13.25"	19.25"	27.25"	35.75"	44.75"	54.25"	65.5"	77.5"	
				2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
RX8+908-5	Satin Black 9'0"	5	8	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	44.75"	53.25"	63.5"	76.5"	
				2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
RX8+968-4	Satin Black 9'6"	4	8	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
				2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
RX8+909-4	Satin Black 9'0"	4	9	3.5"	8"	13.25"	19.25"	27.25"	35.75"	44.75"	54.25"	65.5"	77.5"	
				3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
RX8+9010-4	Satin Black 9'0"	4	10	3.5"	8"	13.25"	19.25"	27.25"	35.75"	44.75"	54.25"	65.5"	77.5"	
				3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	

RX7+ 4 & 5 Piece Travel Fly Rod Blanks Featuring RX7+ Graphite (Available In Chestnut Gloss Brown)

model	desc/ length	sect	line wt	guide spacing & amount of guides										
RX7+864-4	Chsnt. Gloss Brn. 8'6"	4	4	4.875"	10.75"	17.75"	25.25"	33.25"	41.625"	50.875"	60.875"	71.875"		
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
RX7+904-4	Chsnt. Gloss Brn. 9'0"	4	4	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	

RX7+865-4	Chsnt. Gloss Brn.	8'6"	4	5	4.875"	10.75"	17.75"	25.25"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
RX7+905-4	Chsnt. Gloss Brn.	9'0"	4	5	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX7+905-5	Chsnt. Gloss Brn.	9'0"	5	5	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	43"	53.25"	64.375"	77.25"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX7+906-4	Chsnt. Gloss Brn.	9'0"	4	6	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX7+906-5	Chsnt. Gloss Brn.	9'0"	5	6	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	43"	53.25"	64.375"	77.25"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
RX7+907-4	Chsnt. Gloss Brn.	9'0"	4	7	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
RX7+967-4	Chsnt. Gloss Brn.	9'6"	4	7	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.25"	71.75"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
RX7+908-4	Chsnt. Gloss Brn.	9'0"	4	8	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
RX7+908-5	Chsnt. Gloss Brn.	9'0"	5	8	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	44.375"	53.25"	63.5"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	3 (sn)	5 (sn)	12 (ud)	16 (ud)	
RX7+968-4	Chsnt. Gloss Brn.	9'6"	4	8	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.75"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
RX7+909-4	Chsnt. Gloss Brn.	9'0"	4	9	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
RX7+9010-4	Chsnt. Gloss Brn.	9'0"	4	10	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	

RX8 4 Piece Travel Fly Rod Blanks Featuring RX8 Graphite (Available In Matte Clear)

model	desc/ length	sect	line wt	guide spacing & amount of guides											
XF905-4	Matte Clear 9'0"	4	5	3.625"	8"	13.25"	19.5"	27.27"	35.75"	45"	54.625"	66"	78"		
				3 (xsf)	3 (xsf)	3 (xsf)	3 (xsf)	4 (xsf)	4 (xsf)	4 (xsf)	4 (xsf)	10 (xud)	12 (xud)		
XF906-4	Matte Clear 9'0"	4	6	3.625"	8"	13.25"	19.5"	27.25"	35.75"	45"	54.625"	66"	78"		

XF907-4	Matte Clear 9'0"	4	7	3 (xsf) 3.5"	3 (xsf) 8"	3 (xsf) 13.25"	3 (xsf) 19.25"	4 (xsf) 27.25"	4 (xsf) 35.75"	4 (xsf) 44.75"	4 (xsf) 54.25"	10 (xud) 65.5"	12 (xud) 77.5"
XF908-4	Matte Clear 9'0"	4	8	2 (xsn) 3.5"	2 (xsn) 8"	2 (xsn) 13.25"	2 (xsn) 19.25"	3 (xsn) 27.25"	3 (xsn) 35.75"	4 (xsn) 44.75"	4 (xsn) 54.25"	12 (xud) 65.5"	16 (xud) 77.5"
XF909-4	Matte Clear 9'0"	4	9	2 (xsn) 3.5"	2 (xsn) 8"	2 (xsn) 13.25"	2 (xsn) 19.25"	3 (xsn) 27.25"	3 (xsn) 35.75"	4 (xsn) 44.75"	4 (xsn) 54.25"	12 (xud) 65.5"	16 (xud) 77.5"
XF9010-4	Matte Clear 9'0"	4	10	3 (xsn) 3.5"	3 (xsn) 8"	3 (xsn) 13.25"	3 (xsn) 19.25"	3 (xsn) 27.25"	4 (xsn) 35.75"	5 (xsn) 44.75"	12 (xud) 54.25"	16 (xud) 65.5"	20 (xud) 77.5"
				3 (xsn)	3 (xsn)	3 (xsn)	3 (xsn)	3 (xsn)	4 (xsn)	5 (xsn)	12 (xud)	16 (xud)	20 (xud)

RX7 Fly Rod Blanks 2 Piece Fly Rod Blanks Featuring RX7 Graphite (Color Available Olympic Green / Matte Clear)

model	desc/ length	sect	line wt	guide spacing & amount of guides									
IF502	Oly.Grn. / M. Clr. 5'0"	2	2	3"	6.5"	10.5"	14.75"	20"	28"	37"			
				2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	4 (sf)	10 (ud)			
IF662	Oly.Grn. / M. Clr. 6'6"	2	2	4"	8.5"	13.5"	19"	25"	32"	40"	50"		
				2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF503	Oly.Grn. / M. Clr. 5'0"	2	3	3"	6.5"	10.5"	14.75"	20"	28"	37"			
				2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 ((sf)	10 (ud)			
IF793	Oly.Grn. / M. Clr. 7'9"	2	3	4.5"	9.5"	15.5"	22.5"	30.5"	40"	51"	64"		
				2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	10 (ud)		
IF903	Oly.Grn. / M. Clr. 9'0"	2	3	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)
IF504	Oly.Grn. / M. Clr. 5'0"	2	4	3"	6.5"	10.5"	14.75"	20"	28"	37"			
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	12 (ud)			
IF564	Oly.Grn. / M. Clr. 5'6"	2	4	3"	6.5"	10.5"	14.75"	20"	28"	39"			
				3(sf)	3(sf)	3(sf)	3(sf)	4(sf)	4(sf)	12(ud)			
IF704	Oly.Grn. / M. Clr. 7'0"	2	4	4"	9"	15"	21.5"	28.5"	36.5"	45.5"	56"		
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)		
IF764	Oly.Grn. / M. Clr. 7'6"	2	4	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"		
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)		
IF804	Oly.Grn. / M. Clr. 8'0"	2	4	4.25"	9.5"	15"	21"	29"	37.25"	46.25"	55.5"	65.5"	
				3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	

IF864	Oly.Grn. / M. Clr.	8'6"	2	4	4"	9"	15"	22"	30"	39"	49.5"	60"	72"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF904	Oly.Grn. / M. Clr.	9'0"	2	4	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
IF765	Oly.Grn. / M. Clr.	7'6"	2	5	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"			
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)			
IF805	Oly.Grn. / M. Clr.	8'0"	2	5	4.25"	9.5"	15"	21"	29"	37.25"	46.25"	55.5"	65.5"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
IF865	Oly.Grn. / M. Clr.	8'6"	2	5	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
IF905	Oly.Grn. / M. Clr.	9'0"	2	5	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	10 (ud)	12 (ud)	
IF965	Oly.Grn. / M. Clr.	9'6"	2	5	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	10 (ud)	12 (ud)
IF1005	Oly.Grn. / M. Clr.	10'0"	2	5	4"	9"	15"	22"	30"	39"	48"	57.5"	68.375"	79.375"	90"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	10 (ud)	12 (ud)
IF806	Oly.Grn. / M. Clr.	8'0"	2	6	4.25"	9.5"	15"	21"	29"	37.25"	46.25"	55.5"	65.5		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
IF866	Olv.Grn. / M. Clr.	8'6"	2	6	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)		
IF906	Oly.Grn. / M. Clr.	9'0"	2	6	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	10 (ud)	12 (ud)	
IF966	Oly.Grn. / M. Clr.	9'6"	2	6	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5(sf)	10 (ud)	12 (ud)
IF1006	Oly.Grn. / M. Clr.	10'0"	2	6	4"	9"	15"	22"	30"	39"	48"	57.5"	68.375"	79.375"	90"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5(sf)	10 (ud)	12 (ud)
IF867	Oly.Grn. / M. Clr.	8'6"	2	7	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"		
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		

IF907	Oly.Grn. / M. Clr.	9'0"	2	7	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	78"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
IF967	Oly.Grn. / M. Clr.	9'6"	2	7	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)
IF1007	Oly.Grn. / M. Clr.	10'0"	2	7	4"	9"	15"	22"	30"	39"	48"	57.5"	68.375"	79.375"	90"
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)
IF908	Oly.Grn. / M. Clr.	9'0"	2	8	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
IF968	Oly.Grn. / M. Clr.	9'6"	2	8	4"	9.5"	15.5"	22"	29.5"	37"	45"	53.25"	61.25"	71.75"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
IF1008	Oly.Grn. / M. Clr.	10'0"	2	8	4"	9"	15"	22"	30"	39"	48"	57.5"	68.375"	79.375"	90"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
IF909	Oly.Grn. / M. Clr.	9'0"	2	9	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
IF969	Oly.Grn. / M. Clr.	9'6"	2	9	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.25"	71.75	81.25"
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)
IF1009	Oly.Grn. / M. Clr.	10'0"	2	9	4"	9"	15"	22"	30"	39"	48"	57.5"	68.375"	79.375"	90"
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)
IF9010	Oly.Grn. / M. Clr.	9'0"	2	10	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
IF9012	Oly.Grn. / M. Clr.	9'0"	2	12	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					5 (sn)	5 (sn)	5 (sn)	5 (sn)	6 (sn)	6 (sn)	6 (sn)	12 (ud)	16 (ud)	20 (ud)	

4 Piece Travel Fly Rod Blanks Featuring RX7 Graphite (Color Available Olympic Green / Matte Clear)

model	desc/ length	sect	line wt	guide spacing & amount of guides											
IF864-4	Oly.Grn./ M. Clr.	8'6"	4	4	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF764-4	Oly.Grn. / M. Clr.	7'6"	4	4	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"			
					2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	10 (ud)			

IF904-4	Oly.Grn. / M. Clr.	9'0"	4	4	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
IF765-4	Oly.Grn. / M. Clr.	7'6"	4	5	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5			
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)			
IF805-4	Oly.Grn. / M. Clr.	8'0"	4	5	4.25"	9.5"	15"	21.5"	29"	37.25"	46.25"	55.5"	65.5"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF865-4	Oly.Grn. / M. Clr.	8'6"	4	5	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF905-4	Oly.Grn. / M. Clr.	9'0"	4	5	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
IF866-4	Oly.Grn. / M. Clr.	8'6"	4	6	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF906-4	Oly.Grn. / M. Clr.	9'0"	4	6	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)	
IF907-4	Oly.Grn. / M. Clr.	9'0"	4	7	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
IF908-4	Oly.Grn. / M. Clr.	9'0"	4	8	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
IF909-4	Oly.Grn. / M. Clr.	9'0"	4	9	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
IF863-4	Oly.Grn./ M. Clr.	8'6"	4	3	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
IF967-4	Oly.Grn./ M. Clr.	9'6"	4	7	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.25"	71.75"	81.25"
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)
IF968-4	Oly.Grn./ M. Clr.	9'6"	4	8	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.25"	71.75"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
IF9010-4	Oly.Grn./ M. Clr.	9'0"	4	10	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					5 (sf)	5 (sf)	5 (sf)	5 (sf)	6 (sf)	6 (sf)	6 (sf)	12 (ud)	16 (ud)	20 (ud)	

RX6 Fly Rod Blanks 2 Piece Fly Rod Blanks Featuring RX6 Graphite Available In Dark Blue Gloss)

model	desc/ length	sect	line	wt	guide spacing & amount of guides									
F662-2	Dark Blue Gloss	6'6"	2	2	4"	8.5"	13.5"	19"	25"	32"	40"	50"		
					2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	12 (ud)		
F763-2	Dark Blue Gloss	7'6"	2	3	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
F793-2	Dark Blue Gloss	7'9"	2	3	4.5"	9.5"	15.5"	22.5"	30.5"	40"	51"	64"		
					2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	10 (ud)		
F764-2	Dark Blue Gloss	7'6"	2	4	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
F804-2	Dark Blue Gloss	8'0"	2	4	4.25"	9.5"	15"	21"	29"	37.25"	46.25"	55.5"	65.5"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	
F864-2	Dark Blue Gloss	8'6"	2	4	4"	9"	15"	22"	30"	39"	49.5"	60"	72"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	
F904-2	Dark Blue Gloss	9'0"	2	4	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)
F765-2	Dark Blue Gloss	7'6"	2	5	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
F805-2	Dark Blue Gloss	8'0"	2	5	4.25"	9.5"	15"	21"	29"	37.25"	46.25"	55.5"	65.5"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	
F865-2	Dark Blue Gloss	8'6"	2	5	4"	9"	15"	22"	30"	39"	49.5"	60"	72"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	
F905-2	Dark Blue Gloss	9'0"	2	5	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)
F866-2	Dark Blue Gloss	8'6"	2	6	4"	9"	15"	22"	30"	39"	49.5"	60"	72"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)	
F906-2	Dark Blue Gloss	9'0"	2	6	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)

F907-2	Dark Blue Gloss	9'0"	2	7	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
F908-2	Dark Blue Gloss	9'0"	2	8	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
F968-2	Dark Blue Gloss	9'6"	2	8	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.25"	71.75"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
F909-2	Dark Blue Gloss	9'0"	2	9	4.5"	9.5"	15.5"	21.625"	28.875"	36.5"	44.75"	53.25"	64"	76"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
F9010-2	Dark Blue Gloss	9'0"	2	10	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	20 (ud)	
4 Piece Travel Fly Rod Blanks Featuring RX6 Graphite (Available In Dark Blue Gloss)															
model	desc/ length		sect	line wt	guide spacing & amount of guides										
F662-4	Dark Blue Gloss	6'6"	4	2	4"	8.5"	13.5"	19"	25"	32"	40"	50"			
					2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	12(ud)			
F764-4	Dark Blue Gloss	7'6"	4	4	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"			
					2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	10 (ud)			
F804-4	Dark Blue Gloss	8'0"	4	4	4.25"	9.5"	15"	21.5"	29"	37.25"	46.25"	55.5"	65.5"		
					3 (sf)	3 (sf)	3 (sf)	3(sf)	4(sf)	4(sf)	4(sf)	4(sf)	12(ud)		
F864-4	Dark Blue Gloss	8'6"	4	4	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3(sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)		
F904-4	Dark Blue Gloss	9'0"	4	4	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3(sf)	3(sf)	3(sf)	3(sf)	4(sf)	4(sf)	4(sf)	4(sf)	10(ud)	12(ud)	
F805-4	Dark Blue Gloss	8'0"	4	5	4.25"	9.5"	15"	21.5"	29"	37.25"	46.25"	55.5"	65.5		
					3(sf)	3(sf)	3(sf)	3(sf)	4(sf)	4(sf)	4(sf)	4(sf)	12(ud)		
F865-4	Dark Blue Gloss	8'6"	4	5	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	12 (ud)		
F905-4	Dark Blue Gloss	9'0"	4	5	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3(sf)	3(sf)	3(sf)	3(sf)	4(sf)	4(sf)	4(sf)	4(sf)	10(ud)	12(ud)	

F866-4	Dark Blue Gloss	8'6"	4	6	4.875"	10.375"	17.375"	25.125"	33.125"	41.625"	50.875"	60.875"	71.875"		
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4(sf)	4(sf)	4 (sf)	12 (ud)		
F906-4	Dark Blue Gloss	9'0"	4	6	4"	9"	15"	22"	29.5"	37.5"	46.625"	56.75"	67.25"	78"	
					3(sf)	3(sf)	3(sf)	3(sf)	4(sf)	4(sf)	4(sf)	4(sf)	10(ud)	12(ud)	
F907-4	Dark Blue Gloss	9'0"	4	7	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)	
F908-4	Dark Blue Gloss	9'0"	4	8	4.5"	9.5"	15.5"	22"	29"	36.5"	44.5"	54"	64"	76.5"	
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	
F968-4	Dark Blue Gloss	9'6"	4	8	4"	9"	15"	22"	29.5"	37"	45"	53.25"	61.125"	71.375"	81.25"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	10 (ud)	12 (ud)	16 (ud)
F909-4	Dark Blue Gloss	9'0"	4	9	4"	9"	15"	22"	29.5"	37.5"	46.5"	56.5"	67.5"	78"	
					3 (sn)	3 (sn)	3 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)	20 (ud)	
F9010-4	Dark Blue Gloss	9'0"	4	10	4"	9"	15"	22"	29.5"	37.5"	46.75"	56.5"	66.5"	77"	
					5 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	5 (sf)	6 (sf)	12 (ud)	16 (ud)	20 (ud)	

5 Piece Travel Fly Rod Blanks Featuring RX6 Graphite (Available In Dark Blue Gloss)

model	desc/ length	sect	line wt	guide spacing & amount of guides										
F764-5	Dark Blue Gloss	7'6"	5	4	4.5"	9.5"	15.5"	22.5"	30.5"	39.5"	49.5"	61.5"		
					2 (sf)	2 (sf)	2 (sf)	2 (sf)	3 (sf)	3 (sf)	4 (sf)	10 (ud)		
F865-5	Dark Blue Gloss	8'6"	5	5	4"	9"	15"	22"	30"	39"	49.5"	60.5"	72"	
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	12 (ud)	
F905-5	Dark Blue Gloss	9'0"	5	5	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	43"	53.25"	64.375"	77.25"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)
F906-5	Dark Blue Gloss	9'0"	5	6	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	43"	53.25"	64.375"	77.25"
					3 (sf)	3 (sf)	3 (sf)	3 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	10 (ud)	12 (ud)
F907-5	Dark Blue Gloss	9'0"	5	7	3.5"	8"	13.25"	19.25"	27.25"	35.75"	44.75"	54.125"	65.5"	77.5"
					4 (sf)	4 (sf)	4 (sf)	4 (sf)	4 (sf)	5 (sf)	5 (sf)	5 (sf)	12 (ud)	16 (ud)
F908-5	Dark Blue Gloss	9'0"	5	8	3.75"	8.25"	13.25"	19.25"	26.5"	34.5"	44.375"	53.25"	63.5"	76.5"
					2 (sn)	2 (sn)	2 (sn)	2 (sn)	3 (sn)	3 (sn)	4 (sn)	5 (sn)	12 (ud)	16 (ud)

Spey Rod Blanks

4 Piece Spey Rod Blanks Featuring A Blend RX7 & RX6 Graphite (Available In Dark Blue Gloss)

model	desc/length		sect	line wt	guide spacing & guide sizes									
F1166/7-4	Dark Blue Gloss	11'6"	4	6/7 spey	4"	9"	15.25"	22.75"	31.5"	41.75"	53.5"	66.875"	80.5"	100
					3 sn	3 sn	3 sn	3 sn	3 sn	4 sn	5 sn	10 ud	12 ud	16 ud
F1267/8-4	Dark Blue Gloss	12'6"	4	7/8 spey	4.75"	10.5"	18.75"	27"	38"	50"	63.5"	79.5"	96"	112"
					3 sn	3 sn	3 sn	3 sn	3 sn	4 sn	5 sn	12 ud	16 ud	20 ud
F1308/9-4	Dark Blue Gloss	13'0"	4	8/9 spey	5"	11"	19"	28"	39"	51"	64"	78"	96"	116"
					4 sn	4 sn	4 sn	4 sn	4 sn	5 sn	6 sn	12 ud	16 ud	20 ud
F1409/10-4	Dark Blue Gloss	14'0"	4	9/10 spey	6.25"	14.625"	24.125"	36.1875"	49"	64"	79.5"	95.5"	112.5"	131"
					4 sn	4 sn	4 sn	4 sn	4 sn	5 sn	6 sn	12 ud	16 ud	20 ud

Rainshadow RX8+ Bass Rod Blanks

Spinning and Casting Bass Rod Blanks Featuring RX8+ Graphite (Color Available Satin Black)

model	desc/length		sect	line wt	guide spacing & guide sizes									
RX8+C812	Satin Black	6'9"	1	8-14 LB	4.5"	9.5"	15"	21"	28"	36"	45"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs3)			
RX8+C742	Satin Black	6'2"	1	8-14 LB	3"	6.5"	10.5"	15.25	20.75"	26.75"	34.75"	43"		
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	8(ud)	10(ud)	12(ud)		
RX8+S823	Satin Black	6'10"	1	8-14 LB	4.5"	9.5"	15"	21"	28"	36"	45"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs3)			
RX8+S822.5	Satin Black	6'10"	1	6-12 LB	4.5"	9.5"	15"	21"	28"	36"	45"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)			
RX8+C783	Satin Black	6'6"	1	10-17 LB	3"	6.5"	10.5"	14.75"	19.25"	24.25"	30.25"	37.25"	45.75"	
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	8(ud)	10(ud)	12(ud)	
RX8+C843	Satin Black	7'0"	1	10-17 LB	3"	6.5"	10.5"	15"	20"	26"	33"	41"	51"	
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	8(ud)	10(ud)	12(ud)	
RX8+C865	Satin Black	7'2"	1	12-25 LB	3"	6.5"	10.5"	15"	20"	26"	33"	41"	51"	
casting					7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	08(ud)	10(ud)	10(ud)	12(ud)	

Bass/Inshore Multi-Purpose Rod Blanks

Spin Bass Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes									
ISB802.75	Matte Clear	6'8"	1	6-15lb	4.5"	9.5"	15"	21"	28"	35.5"	44"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs3)			
ISB720	Matte Clear	6'0"	1	4-8lb.	4.5"	9.75"	15.75"	22.5"	31"	40"				
spinning					6 (vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs)				

ISB721 spinning	Matte Clear	6'0"	1	6-12lb.	4.5" 6(vs)	9.75" 7 (vs)	15.75" 8 (vs)	22.5" 10 (vs)	31" 16(vs)	40" 25 (vs)			
ISB722 spinning	Matte Clear	6'0"	1	8-14lb.	4.5" 6(vs)	9.75" 7(vs)	15.75" 8(vs)	22.5" 10(vs)	31" 16(vs)	40" 30(vs)			
ISB722 casting	Matte Clear	6'0"	1	8-14lb.	3.75" 6(f)	7.625" 6(f)	12.25" 6(f)	17.25" 7(f)	23.5" 8(ud)	30.5" 10(ud)	38.25" 12(ud)		
ISB723 spinning	Matte Clear	6'0"	1	10-17lb.	4.5" 6 (vs)	9.75" 7 (vs)	15.75" 8 (vs)	22.5" 10 (vs)	31" 16 (vs)	40" 25(vs3)			
ISB723 casting	Matte Clear	6'0"	1	10-17lb.	3.75" 6(ud)	7.625" 6(ud)	12.25" 6(ud)	17.25" 7(ud)	23.5" 8(ud)	30.5" 10(ud)	38.25" 12(ud)		
ISB780 spinning	Matte Clear	6'6"	1	4-8lb.	4.5" 6(vs)	9.5" 7 (vs)	15" 7(vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 25 (vs)		
ISB781 spinning	Matte Clear	6'6"	1	6-12lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 30 (vs)		
ISB782 spinning	Matte Clear	6'6"	1	8-14lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 30 (vs)		
ISB782 casting	Matte Clear	6'6"	1	8-14lb.	3.25" 6(f)	7.75" 6(f)	12" 6(f)	16.5" 6(f)	22" 7(f)	28" 8(ud)	35.5" 10(ud)	44" 12(ud)	
ISB783 spinning	Matte Clear	6'6"	1	10-17lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 25 (vs3)		
ISB783 casting	Matte Clear	6'6"	1	10-17lb.	3.25" 6(ud)	7.75" 6(ud)	12" 6(ud)	16.5" 6(ud)	22" 7(ud)	28" 8(ud)	35.5" 10(ud)	44" 12(ud)	
ISB822.5 spinning	Matte Clear	6'10"	1	6-14lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	36" 16 (vs)	45" 25 (vs)		
ISB841 spinning	Matte Clear	7'0"	1	6-12lb.	4.5" 6 (vs)	9.25" 6 (vs)	14.25" 7 (vs)	19.75" 7 (vs)	25.75" 8 (vs)	32.5" 10 (vs)	40" 16 (vs)	49" 25 (vs)	
ISB842 spinning	Matte Clear	7'0"	1	8-14lb.	4.5" 6 (vs)	9.25" 6 (vs)	14.25" 7 (vs)	19.75" 7 (vs)	25.75" 8 (vs)	32.5" 10 (vs)	40" 16 (vs)	49" 25 (vs3)	
ISB842 casting	Matte Clear	7'0"	1	8-14lb.	3.75" 6(f)	7.75" 6(f)	12" 6(f)	16.5" 6(f)	21.5" 7(f)	27" 7(f)	33.5" 8(ud)	41.125" 10(ud)	50" 12(ud)
ISB843 spinning	Matte Clear	7'0"	1	10-17lb.	4.5" 6 (vs)	9.25" 6 (vs)	14.25" 7 (vs)	19.75" 7 (vs)	25.75" 8 (vs)	32.5" 10 (vs)	40" 16 (vs)	49" 25 (vs3)	
ISB843 casting	Matte Clear	7'0"	1	10-17lb.	3.75" 6(ud)	7.75" 6(ud)	12" 6(ud)	16.5" 6(ud)	21.5" 7(ud)	27" 7(ud)	33.5" 8(ud)	41.125" 10(ud)	50" 12(ud)
ISB844 spinning	Matte Clear	7'0"	1	10-20lb.	4.5" 6 (vs3)	9.25" 6 (vs3)	14.25" 7 (vs3)	19.75" 7 (vs3)	25.75" 8 (vs3)	32.5" 10 (vs3)	40" 16 (vs3)	49" 30 (vs3)	
ISB844 casting	Matte Clear	7'0"	1	10-20lb.	3.75" 6(ud)	7.75" 6(ud)	12" 6(ud)	16.5" 6(ud)	21.5" 7(ud)	27" 8(ud)	33.5" 10(ud)	41.125" 10(ud)	50" 12(ud)

Spin Bass Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length	sect	line wt	guide spacing & guide sizes
-------	-------------	------	---------	-----------------------------

SB720 spinning	Clear Gloss	6'0"	1	4-8lb.	4.5"	9.75"	15.75"	22.5"	31"	40"		
SB721 spinning	Clear Gloss	6'0"	1	6-12lb.	4.5"	9.75"	15.75"	22.5"	31"	40"		
SB722 spinning	Clear Gloss	6'0"	1	8-14lb.	4.5"	9.75"	15.75"	22.5"	31"	40"		
SB723 spinning	Clear Gloss	6'0"	1	10-17lb.	4.5"	9.75"	15.75"	22.5"	31"	40"		
SB780 spinning	Clear Gloss	6'6"	1	4-8lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
SB781 spinning	Clear Gloss	6'6"	1	6-12lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
SB782 spinning	Clear Gloss	6'6"	1	8-14lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
SB782 casting	Clear Gloss	6'6"	1	8-14lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"
SB783 spinning	Clear Gloss	6'6"	1	10-17lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
SB783 casting	Clear Gloss	6'6"	1	10-17lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"
SB822.5 spinning	Clear Gloss	6'10"	1	6-14lb.	4.5"	9.5"	15"	21"	28"	36"	45"	
SB841 spinning	Clear Gloss	7'0"	1	6-12lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
SB842 spinning	Clear Gloss	7'0"	1	8-14lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
SB842 casting	Clear Gloss	7'0"	1	8-14lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	41.125" 50"
SB843 spinning	Clear Gloss	7'0"	1	10-17lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
SB843 casting	Clear Gloss	7'0"	1	10-17lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	41.125" 50"
SB844 spinning	Clear Gloss	7'0"	1	10-20lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
SB844 casting	Clear Gloss	7'0"	1	10-20lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	41.125" 50"

Spin Bass 3 & 4 Piece Travel Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length		sect	line wt	guide spacing & guide sizes							
SB720-4 spinning	Clear Gloss	6'0"	4	4-8lb.	4.5" 6 (vs)	9.75" 7 (vs)	15.75" 8 (vs)	22.50" 10 (vs)	31" 16 (vs)	40" 25 (vs)		

SB781-3 spinning	Clear Gloss	6'6"	3	6-12lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 25 (vs)		
SB783-3 spinning	Clear Gloss	6'6"	3	10-17lb.	4.5" 6 (vs)	9.5" 7 (vs)	15" 7 (vs)	21" 8 (vs)	28" 10 (vs)	35.5" 16 (vs)	44" 25 (vs3)		
SB841-3 spinning	Clear Gloss	7'0"	3	6-12lb.	4.5" 6 (vs)	9.25" 6 (vs)	14.25" 7 (vs)	19.75" 7 (vs)	25.75" 8 (vs)	32.5" 10 (vs)	40" 16 (vs)	49" 25 (vs)	
SB841-3 casting	Clear Gloss	7'0"	3	6-12lb.	3.75" 6(f)	7.75" 6(f)	12" 6(f)	16.5" 6(f)	21.5" 7(f)	27" 7(f)	33.5" 8(ud)	41.125" 10(ud)	50" 12(ud)
SB843-3 spinning	Clear Gloss	7'0"	3	10-17lb.	4.5" 6 (vs)	9.25" 6 (vs)	14.25" 7 (vs)	19.75" 7 (vs)	25.75" 8 (vs)	32.5" 10 (vs)	40" 16 (vs)	49" 25 (vs3)	
SB843-3 casting	Clear Gloss	7'0"	3	10-17lb.	3.75" 6(ud)	7.75" 6(ud)	12" 6(ud)	16.5" 6(ud)	21.5" 7(ud)	27" 7(ud)	33.5" 8(ud)	41.125" 10(ud)	50" 12(ud)
SB845-3 spinning	Clear Gloss	7'0"	3	12-25lb.	4.5" 7 (vs3)	9.25" 7 (vs3)	14.25" 8 (vs3)	19.75" 8 (vs3)	25.75" 10 (vs3)	32.5" 12 (vs3)	40" 20 (vs3)	49" 30 (vs3)	
SB845-3 casting	Clear Gloss	7'0"	3	12-25lb.	3.75" 7(ud)	7.75" 7(ud)	12" 7(ud)	16.5" 7(ud)	21.5" 8(ud)	27" 8(ud)	33.5" 10(ud)	41.125" 10(ud)	50" 12(ud)

Spin Jig Multi-Purpose Rod Blanks

Spin Jig Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes							
ISJ781 spinning	Matte Clear	6'6"	1	6-10lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs)		
ISJ782 spinning	Matte Clear	6'6"	1	6-12lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs)		
ISJ783 spinning	Matte Clear	6'6"	1	8-15lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs3)		

Spin Jig Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length		sect	line wt	guide spacing & guide sizes							
SJ781 spinning	Clear Gloss	6'6"	1	6-10lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs)		
SJ782 spinning	Clear Gloss	6'6"	1	6-12lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs)		
SJ783 spinning	Clear Gloss	6'6"	1	8-15lb.	4.75" 6 (vs)	9.75" 7 (vs)	16" 8 (vs)	23.5" 10 (vs)	32.75" 16 (vs)	44.5" 25 (vs3)		

Bass Casting Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes							
IC721	Matte Clear	6'0"	1	6-12lb.	3.75"	7.625"	12.25"	17.25"	23.5"	30.5"	38.25"	

casting IC722	Matte Clear	6'0"	1	8-14lb.	6 (ud) 3.75"	6 (ud) 7.625"	6 (ud) 12.25"	7 (ud) 17.25"	8 (ud) 23.5"	10 (ud) 30.5"	12 (ud) 38.25"
casting IC723	Matte Clear	6'0"	1	10-17lb.	6 (ud) 3.75"	6 (ud) 7.625"	6 (ud) 12.25"	7 (ud) 17.25"	8 (ud) 23.5"	10 (ud) 30.5"	12 (ud) 38.25"
casting					6 (ud)	6 (ud)	6 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)

Bass Casting Travel Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes							
IC747-3	Matte Clear	6'2"	3	12-25lb.	4.5"	9.75"	15.75"	22.5"	31"	40"	
spinning IC747-3	Matte Clear	6'2"	3	12-25lb.	7(vs3) 3"	8(vs3) 6.5"	10(vs3) 10.5"	12(vs3) 15.25	16(vs3) 20.75"	30(vs3) 26.75"	34.75" 43"
casting IC847-3	Matte Clear	7'0"	3	12-25lb.	7(ud) 4.5"	7(ud) 9.25"	7(ud) 14.25"	8(ud) 19.75"	8(ud) 25.75"	10(ud) 32.5"	10(ud) 12(ud) 40" 49"
spinning IC847-3	Matte Clear	7'0"	3	12-25lb.	7 (vs3) 3.75"	7 (vs3) 7.75"	8 (vs3) 12"	8 (vs3) 16.5"	10 (vs3) 21.5"	12 (vs3) 27"	20 (vs3) 30 (vs3) 33.5" 41.125" 50"
casting					7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	10(ud) 10(ud) 12(ud)

Mag Bass / Flipp'n Stick Rod Blanks

Mag Bass Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes							
IMB783	Matte Clear	6'6"	1	10-17lb.	4"	8"	12"	16.5"	22.25"	28"	35.5" 44"
casting IMB784	Matte Clear	6'6"	1	12-20lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	7 (ud) 22.25"	8 (ud) 28"	10 (ud) 12 (ud) 35.5" 44"
casting IMB785	Matte Clear	6'6"	1	12-25lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	7 (ud) 22.25"	8 (ud) 28"	10 (ud) 12 (ud) 35.5" 44"
casting IMB843	Matte Clear	7'0"	1	10-17lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	7 (ud) 21.5"	8 (ud) 27.25"	10 (ud) 12 (ud) 33.5" 41.25" 49.25"
casting IMB844	Matte Clear	7'0"	1	12-20lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	7 (ud) 21.5"	8 (ud) 27.25"	8 (ud) 10 (ud) 12 (ud) 33.5" 41.25" 49.25"
casting IMB845	Matte Clear	7'0"	1	14-25lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	7 (ud) 21.5"	8 (ud) 27.25"	8 (ud) 10 (ud) 12 (ud) 33.5" 41.25" 49.25"
casting IMB846	Matte Clear	7'0"	1	15-30lb.	6 (ud) 4"	6 (ud) 8"	6 (ud) 12"	7 (ud) 16.5"	8 (ud) 21.5"	8 (ud) 27.25"	10 (ud) 10 (ud) 12 (ud) 33.5" 41.25" 49.25"
casting IMB944	Matte Clear	7'10"	1	12-20lb.	7 (ud) 3.5"	7 (ud) 7.5"	7 (ud) 12"	7 (ud) 17"	8 (ud) 23"	8 (ud) 30"	10 (ud) 10 (ud) 12 (ud) 38" 47" 57"
casting					6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	8(ud)	10(ud) 10(ud) 12(ud)

Mag Bass Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length	sect	line wt	guide spacing & guide sizes
-------	-------------	------	---------	-----------------------------

MB783 casting	Clear Gloss	6'6"	1	10-17lb.	4"	8"	12"	16.5"	22.25"	28"	35.5"	44"	
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
MB784 casting	Clear Gloss	6'6"	1	12-20lb.	4"	8"	12"	16.5"	22.25"	28"	35.5"	44"	
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
MB785 casting	Clear Gloss	6'6"	1	12-25lb.	4"	8"	12"	16.5"	22.25"	28"	35.5"	44"	
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
MB843 casting	Clear Gloss	7'0"	1	10-17lb.	4"	8"	12"	16.5"	21.5"	27.25"	33.5"	41.25"	49.25"
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	8 (ud)	10 (ud)	12 (ud)
MB844 casting	Clear Gloss	7'0"	1	12-20lb.	4"	8"	12"	16.5"	21.5"	27.25"	33.5"	41.25"	49.25"
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	8 (ud)	10 (ud)	12 (ud)
MB845 casting	Clear Gloss	7'0"	1	12-25lb.	4"	8"	12"	16.5"	21.5"	27.25"	33.5"	41.25"	49.25"
					6 (ud)	6 (ud)	6 (ud)	7 (ud)	8 (ud)	8 (ud)	10 (ud)	10 (ud)	12 (ud)
MB846 casting	Clear Gloss	7'0"	1	15-30lb.	4"	8"	12"	16.5"	21.5"	27.25"	33.5"	41.25"	49.25"
					7 (ud)	7 (ud)	7 (ud)	7 (ud)	8 (ud)	8 (ud)	10 (ud)	10 (ud)	12 (ud)

Flipp'n Stick Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes									
IFS904	Matte Clear	7'6"	1	10-20lb.	5"	10.5"	16.5"	23"	29.75"	38.25"	48.25"		
					8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		
IFS906	Matte Clear	7'6"	1	15-25lb.	5"	10.5"	16.5"	23"	29.75"	38.25"	48.25"		
					8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		
IFT904	Matte Clear	7'6"	1 T (Tel.)	10-20lb.	5"	10.5"	16.5"	23"	29.75"	38.25"	48.25"		
					8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		
IFT905	Matte Clear	7'6"	1 T (Tel.)	10-25lb.	5"	10.5"	16.5"	23"	29.75"	38.25"	48.25"		
					8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		

Flipp'n Stick Rod Blank Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length	sect	line wt	guide spacing & guide sizes									
FT905	Clear Gloss	7'6"	1 T (Tel.)	10-25lb.	5"	10.5"	16.5"	23"	29.75"	38.25"	48.25"		
					8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		

Inshore / Crankbait Rod Blanks

Inshore Popping Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes									
IP840	Matte Clear	7'0"	1	4-6lb.	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41"	50"

casting IP840	Matte Clear	7'0"	1	4-6lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP841	Matte Clear	7'0"	1	4-10lb.	6 (vs) 4.25"	6 (vs) 7.5"	7 (vs) 12"	7 (vs) 16.25"	8 (vs) 21.25"	10 (vs) 27"	16 (vs) 33.5"	25 (vs) 41"	50"
casting IP841	Matte Clear	7'0"	1	4-10lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP842	Matte Clear	7'0"	1	6-12lb.	6 (vs) 4.25"	6 (vs) 7.5"	7 (vs) 12"	7 (vs) 16.25"	8 (vs) 21.25"	10 (vs) 27"	16 (vs) 33.5"	25 (vs) 41"	50"
casting IP842	Matte Clear	7'0"	1	6-12lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP843	Matte Clear	7'0"	1	8-14lb.	6 (vs) 4.25"	6 (vs) 7.5"	7 (vs) 12"	7 (vs) 16.25"	8 (vs) 21.25"	10 (vs) 27"	16 (vs) 33.5"	25 (vs) 41.25"	50"
casting IP843	Matte Clear	7'0"	1	8-14lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP844	Matte Clear	7'0"	1	8-17lb.	6 (vs) 4.25"	6 (vs) 7.5"	7 (vs) 12"	7 (vs) 16.25"	8 (vs) 21.25"	10 (vs) 27"	16 (vs) 33.5"	30 (vs) 41.25"	50"
casting IP844	Matte Clear	7'0"	1	8-17lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP845	Matte Clear	7'0"	1	10-20lb.	6 (vs3) 4.25"	6 (vs3) 7.5"	7 (vs3) 12"	7 (vs3) 16.25"	8 (vs3) 21.25"	10 (vs3) 27"	16 (vs3) 33.5"	25 (vs3) 41.25"	50"
casting IP845	Matte Clear	7'0"	1	10-20lb.	7(ud) 4.5"	7(ud) 9.25"	7(ud) 14.25"	7(ud) 19.75"	08(ud) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP902	Matte Clear	7'6"	1	6-12lb.	6 (vs3) 4"	6 (vs3) 8"	7 (vs3) 12"	7 (vs3) 16.5"	8 (vs3) 21.5"	10 (vs3) 27"	16 (vs3) 33.5"	30 (vs3) 42.25"	51.25"
casting IP902	Matte Clear	7'6"	1	6-12lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 20"	7(F) 26"	8(ud) 33"	10(ud) 42"	10(ud) 54"	12(ud)
spinning IP903	Matte Clear	7'6"	1	8-14lb.	6(vs) 4"	6(vs) 8"	7(vs) 12"	7(vs) 16.5"	8(vs) 21.5"	10(vs) 27"	16(vs) 33.5"	25(vs) 42.25"	51.25"
casting IP903	Matte Clear	7'6"	1	8-14lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 20"	7(F) 26"	8(ud) 33"	10(ud) 42"	10(ud) 54"	12(ud)
spinning IP904	Matte Clear	7'6"	1	8-17lb.	6(vs) 4"	6(vs) 8"	7(vs) 12"	7(vs) 16.5"	8(vs) 21.5"	10(vs) 27"	16(vs) 33.5"	30(vs) 42.25"	51.25"
casting IP904	Matte Clear	7'6"	1	8-17lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 20"	7(F) 26"	8(ud) 33"	10(ud) 42"	10(ud) 54"	12(ud)
spinning IP963	Matte Clear	8'0"	1	8-14lb.	6(vs3) 3.25"	6(vs3) 6.75"	7(vs3) 11"	7(vs3) 16.125"	8(vs3) 22.75"	10(vs3) 30.25"	16(vs3) 38.75"	25(vs3) 47.5"	57.125"
casting IP963	Matte Clear	8'0"	1	8-14lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 21"	7(F) 28"	08(ud) 37"	10(ud) 47"	10(ud) 59"	12(ud)
spinning IP964	Matte Clear	8'0"	1	8-17lb.	6(vs) 3.25"	6(vs) 6.75"	7(vs) 11"	7(vs) 16.125"	8(vs) 22.75"	10(vs) 30.25"	16(vs) 38.75"	30(vs) 47.5"	57.125"
casting IP964	Matte Clear	8'0"	1	8-17lb.	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 21"	7(F) 28"	08(ud) 37"	10(ud) 47"	10(ud) 59"	12(ud)

spinning IP965	Matte Clear	8'0"	1	10-20lb.	6(vs) 3.25"	6(vs) 6.75"	7(vs) 11"	7(vs) 16.125"	8(vs) 22.75"	10(vs) 30.25"	16(vs) 38.75"	30(vs) 47.5"	57.125"
casting IP965	Matte Clear	8'0"	1	10-20lb.	7(ud) 4.5"	7(ud) 9.25"	7(ud) 14.25"	7(ud) 21"	08(ud) 28"	08(ud) 37"	10(ud) 47"	10(ud) 59"	12(ud)
spinning					6(vs3)	6(vs3)	7(vs3)	7(vs3)	8(vs3)	10(vs3)	16(vs3)	30(vs3)	

Inshore 2 Piece Popping Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes								
IP843F	Matte Clear	7'0"	2	8-14 LB	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41.25"	50"
casting IP843F	Matte Clear	7'0"	2	8-14 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP844F	Matte Clear	7'0"	2	8-17 LB	6 (vs) 4.25"	6 (vs) 7.5"	7 (vs) 12"	7 (vs) 16.25"	8 (vs) 21.25"	10 (vs) 27"	16 (vs) 33.5"	30 (vs) 41.25"	50"
casting IP844F	Matte Clear	7'0"	2	8-17 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 19.75"	7(F) 25.75"	8(ud) 32.5"	10(ud) 40"	10(ud) 49"	12(ud)
spinning IP903F	Matte Clear	7'6"	2	8-14 LB	6 (vs3) 4"	6 (vs3) 8"	7 (vs3) 12"	7 (vs3) 16.5"	8 (vs3) 21.5"	10 (vs3) 27"	16 (vs3) 33.5"	25 (vs3) 42.25"	51.25"
casting IP903F	Matte Clear	7'6"	2	8-14 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 20"	7(F) 26"	8(ud) 33"	10(ud) 42"	10(ud) 54"	12(ud)
spinning IP904F	Matte Clear	7'6"	2	8-17 LB	6(vs) 4"	6(vs) 8"	7(vs) 12"	7(vs) 16.5"	8(vs) 21.5"	10(vs) 27"	16(vs) 33.5"	30(vs) 42.25"	51.25"
casting IP904F	Matte Clear	7'6"	2	8-17 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 20"	7(F) 26"	8(ud) 33"	10(ud) 42"	10(ud) 54"	12(ud)
spinning IP963F	Matte Clear	8'0"	2	8-14 LB	6(vs3) 3.25"	6(vs3) 6.75"	7(vs3) 11"	7(vs3) 16.125"	8(vs3) 22.75"	10(vs3) 30.25"	16(vs3) 38.75"	25(vs3) 47.5"	57.125"
casting IP963F	Matte Clear	8'0"	2	8-14 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 21"	7(F) 28"	08(ud) 37"	10(ud) 47"	10(ud) 59"	12(ud)
spinning IP964F	Matte Clear	8'0"	2	8-17 LB	6(vs) 3.25"	6(vs) 6.75"	7(vs) 11"	7(vs) 16.125"	8(vs) 22.75"	10(vs) 30.25"	16(vs) 38.75"	30(vs) 47.5"	57.125"
casting IP964F	Matte Clear	8'0"	2	8-17 LB	6(F) 4.5"	6(F) 9.25"	6(F) 14.25"	6(F) 21"	7(F) 28"	08(ud) 37"	10(ud) 47"	10(ud) 59"	12(ud)
spinning					6(vs)	6(vs)	7(vs)	7(vs)	8(vs)	10(vs)	16(vs)	30(vs)	

Crankbait Rod Blanks Featuring RX7 Graphite (Available In Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes								
CB66M	Matte Clear	6'6"	1	8-14lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"	
casting CB66MH	Matte Clear	6'6"	1	10-20lb.	6(F) 3.25"	6(F) 7.75"	6(F) 12"	7(F) 16.5"	7(F) 22"	8(ud) 28"	10(ud) 35.5"	12(ud) 44"	
casting CB70M	Matte Clear	7'0"	1	8-14lb.	6(ud) 3.75"	6(ud) 7.75"	6(ud) 12"	7(ud) 16.5"	7(ud) 21.5"	8(ud) 27"	10(ud) 33.5"	12(ud) 41.125"	50

casting					6(F)	6(F)	6(F)	6(F)	7(F)	7(F)	08(ud)	10(ud)	12(ud)
CB70MH	Matte Clear	7'0"	1	10-20lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	41.125"	50
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	08(ud)	10(ud)	12(ud)
CB70H	Matte Clear	7'0"	1	10-25lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	41.125"	50
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	08(ud)	10(ud)	12(ud)
CB76M	Matte Clear	7'6"	1	8-14lb.	3.5"	7.5"	12"	17"	23"	30"	37.5"	46"	55"
casting					6(F)	6(F)	6(F)	6(F)	7(F)	7(F)	08(ud)	10(ud)	12(ud)
CB76MH	Matte Clear	7'6"	1	10-20lb.	3.5"	7.5"	12"	17"	23"	30"	37.5"	46"	55"
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	08(ud)	10(ud)	12(ud)

Spin Multi-Purpose Rod Blanks

Spin Multi-Purpose Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes								
IS600	Matte Clear	5'0"	1	1-4lb.	4"	9"	15"	22.5"	32.75"				
spinning					5(m)	6(M)	8(m)	12(m)	20(m)				
IS601	Matte Clear	5'0"	1	2-4lb.	4"	9"	15"	22.5"	32.75"				
spinning					6(m)	7(m)	8(m)	12(m)	20(m)				
IS602	Matte Clear	5'0"	1	2-8lb.	4"	9"	15"	22.5"	32.75"				
spinning					7(m)	8(m)	10(m)	12(m)	20(M)				
IS660	Matte Clear	5'6"	1	2-4lb.	4.5"	9.75"	15.75"	22.5"	30"	39"			
spinning					5(m)	6(M)	08(m)	10(m)	12(m)	20(m)			
IS661F	Matte Clear	5'6"	2	2-6lb.	4.5"	9.75"	15.75"	22.5"	30"	39"			
spinning					6(m)	7(M)	08(m)	10(m)	12(m)	20(m)			
IS720	Matte Clear	6'0"	1	2-6lb.	4.5"	9.75"	15.75"	22.5"	31"	40"			
spinning					5(m)	6(M)	08(m)	10(m)	12(m)	20(m)			
IS721F	Matte Clear	6'0"	2	2-6lb.	4.5"	9.75"	15.75"	22.5"	31"	40"			
spinning					6(m)	7(M)	08(m)	10(m)	16(m)	25(m)			
IS781F	Matte Clear	6'6"	2	2-6lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"		
spinning					6(m)	6(m)	7(m)	8(m)	10(m)	16(m)	25(m)		

Spin Multi-Purpose Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length		sect	line wt	guide spacing & guide sizes								
SP600	Clear Gloss	5'0"	1	1-4lb.	4"	9"	15"	22.5"	32.75"				
spinning					5(m)	6(M)	8(m)	12(m)	20(m)				
SP661-2	Clear Gloss	5'6"	2	2-6lb.	4.5"	9.75"	15.75"	22.5"	30"	39"			
spinning					6(m)	7(M)	08(m)	10(m)	12(m)	20(m)			
SP720	Clear Gloss	6'0"	1	2-6lb.	4.5"	9.75"	15.75"	22.5"	31"	40"			
spinning					5(m)	6(M)	08(m)	10(m)	12(m)	20(m)			
SP721	Clear Gloss	6'0"	1	2-6lb.	4.5"	9.75"	15.75"	22.5"	31"	40"			
spinning					6(m)	7(M)	08(m)	10(m)	16(m)	25(m)			

SP721-2 spinning	Clear Gloss	6'0"	2	2-6lb.	4.5" 6(m)	9.75" 7(M)	15.75" 08(m)	22.5" 10(m)	31" 16(m)	40" 25(m)	
SP781-2 spinning	Clear Gloss	6'6"	2	2-6lb.	4.5" 6(m)	9.5" 6(m)	15" 7(m)	21" 8(m)	28" 10(m)	35.5" 16(m)	44" 25(m)

Spin Multi-Purpose Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes							
ISP783F	Matte Clear	6'6"	2	6-12lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)	
ISP784F	Matte Clear	6'6"	2	8-14lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"	
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	30(vs)	
ISP842F	Matte Clear	7'0"	2	6-10lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
spinning					6 (M)	6 (M)	7 (M)	7 (M)	8 (M)	10(M)	12(M)	20 (M)
ISP843F	Matte Clear	7'0"	2	6-12lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
spinning					6 (vs)	6 (vs)	7 (vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	30 (vs)

Spin Multi-Purpose Travel Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes							
ISP843-3 spinning	Matte Clear	7'0"	3	6-12lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
					6 (vs)	6 (vs)	7 (vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	30 (vs)
ISP844-3 spinning	Matte Clear	7'0"	3	8-17lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"
					6 (vs3)	6 (vs3)	7 (vs3)	7 (vs3)	8 (vs3)	10 (vs3)	16 (vs3)	25 (vs3)

E-glass Spinning & Casting Rod Blanks

E-glass Spinning & Casting Blanks Featuring E-Glass (Available In Gloss Black)

model	desc/length		sect	line wt	guide spacing & guide sizes						
SPG601 spinning	Gloss Black	5'0"	1	2-4lb.	4" 5(m)	9" 6(M)	15" 8(m)	22.5" 12(m)	32.75" 20(m)		
SPG720 spinning	Gloss Black	6'0"	1	2-6lb.	4.5" 5(m)	9.75" 6(M)	15.75" 08(m)	22.5" 10(m)	31" 12(m)	40" 20(m)	
SPG721 spinning	Gloss Black	6'0"	1	4-8lb.	4.5" 6(m)	9.75" 7(M)	15.75" 08(m)	22.5" 10(m)	31" 16(m)	40" 25(m)	
SPG722 spinning	Gloss Black	6'0"	1	6-12lb.	4.5" 6(vs)	9.75" 7(vs)	15.75" 08(vs)	22.5" 10(vs)	31" 16(vs)	40" 25(vs)	
SPG723 spinning	Gloss Black	6'0"	1	8-15lb.	4.5" 6(vs)	9.75" 7(vs)	15.75" 08(vs)	22.5" 10(vs)	31" 16(vs)	40" 30(vs)	
SPG780 spinning	Gloss Black	6'6"	1	2-6lb.	4.5" 6(m)	9.5" 6(m)	15" 7(m)	21" 8(m)	28" 10(m)	35.5" 12(m)	44" 20(m)
SPG781	Gloss Black	6'6"	1	4-8lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"

spinning					6(m)	6(m)	7(m)	8(m)	10(m)	16(m)	25(m)		
SPG782	Gloss Black	6'6"	1	6-12lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"		
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)		
SPG783	Gloss Black	6'6"	1	8-15lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"	
casting					6(F)	6(F)	6(F)	7(F)	7(F)	8(ud)	10(ud)	12(ud)	
SPG783	Gloss Black	6'6"	1	8-15lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"		
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)		
SPG784	Gloss Black	6'6"	1	10-17lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"	
casting					6(ud)	6(ud)	6(ud)	7(ud)	7(ud)	8(ud)	10(ud)	12(ud)	
SPG784	Gloss Black	6'6"	1	10-17lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"		
spinning					6(vs3)	6(vs3)	7(vs3)	8(vs3)	10(vs3)	16(vs3)	25(vs3)		
SPG785	Gloss Black	6'6"	1	12-20lb.	3.25"	7.75"	12"	16.5"	22"	28"	35.5"	44"	
casting					7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)	
SPG785	Gloss Black	6'6"	1	12-20lb.	4.5"	9.5"	15"	21"	28"	35.5"	44"		
spinning					7(vs3)	8(vs3)	10(vs3)	12(vs3)	16(vs3)	20(vs3)	30(vs3)		
SPG842	Gloss Black	7'0"	1	6-12lb.	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41.25"	50"
casting					6(F)	6(F)	6(F)	6(F)	7(F)	8(ud)	10(ud)	10(ud)	12(ud)
SPG842	Gloss Black	7'0"	1	6-12lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"	
spinning					6 (vs)	6 (vs)	7 (vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	30 (vs)	
SPG843	Gloss Black	7'0"	1	8-15lb.	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41.25"	50"
casting					6(F)	6(F)	6(F)	6(F)	7(F)	8(ud)	10(ud)	10(ud)	12(ud)
SPG843	Gloss Black	7'0"	1	8-15lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"	
spinning					6 (vs)	6 (vs)	7 (vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	30 (vs)	
SPG844	Gloss Black	7'0"	1	10-17lb.	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41.25"	50"
casting					6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	8(ud)	10(ud)	10(ud)	12(ud)
SPG844	Gloss Black	7'0"	1	10-17lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"	
spinning					6 (vs3)	6 (vs3)	7 (vs3)	7 (vs3)	8 (vs3)	10 (vs3)	16 (vs3)	25 (vs3)	
SPG845	Gloss Black	7'0"	1	12-20lb.	4.25"	7.5"	12"	16.25"	21.25"	27"	33.5"	41.25"	50"
casting					7(ud)	7(ud)	07(ud)	07(ud)	08(ud)	8(ud)	10(ud)	10(ud)	12(ud)
SPG845	Gloss Black	7'0"	1	12-20lb.	4.5"	9.25"	14.25"	19.75"	25.75"	32.5"	40"	49"	
spinning					7 (vs3)	7 (vs3)	8 (vs3)	8 (vs3)	10 (vs3)	12 (vs3)	20 (vs3)	30 (vs3)	

Musky / Saltwater Rod Blanks

Musky / Saltwater Rod Blanks Featuring RX7 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes								
IMU824 **	Matte Clear	6'10"	1	12-25lb.	4.5"	9.5"	15"	21.5"	28.5"	37"	46"		
casting					8 (ud)	8 (ud)	8 (ud)	10 (ud)	10 (ud)	12 (ud)	16 (ud)		
IMU875 **	Matte Clear	7'3"	1	15-30lb.	4.5"	9.5"	15"	21.5"	29"	38"	49"		
casting					8 (ud)	8 (ud)	8 (ud)	10 (ud)	12 (ud)	16 (ud)	20 (ud)		
IMU786 **	Matte Clear	6'6"	1	17-40lb.	5"	10.5"	16.5"	24"	32.5"	42"			
casting					8 (xn)	8 (xn)	10 (xn)	12 (xn)	16 (xn)	20 (xn)			

IMU876 ** casting	Matte Clear	7'3"	1	17-40lb.	4.5" 8 (xn)	9.5" 8 (xn)	15" 8 (xn)	21.5" 10 (xn)	29" 12 (xn)	38" 16 (xn)	49" 20 (xn)		
IMU946 ** casting	Matte Clear	7'10"	1	17-40lb.	4.5" 8(xn)	9" 8(xn)	14" 8(xn)	19.5" 8(xn)	25.5" 10(xn)	32.5" 12(xn)	41" 16(xn)	50" 20(xn)	
IMU757 ** casting	Matte Clear	6'3"	1	25-50lb.	4.5" 8(xn)	9.5" 8(xn)	15" 10(xn)	21.5" 12(xn)	29" 16(xn)	38" 20(xn)			
IMU827 ** casting	Matte Clear	6'10"	1	25-50lb.	4.5" 8 (xn)	9.5" 8 (xn)	15" 8 (xn)	21.5" 10 (xn)	28.5" 12 (xn)	37" 16 (xn)	46" 20 (xn)		
IMU907 ** casting	Matte Clear	7'6"	1	25-50lb.	4.5" 8(xn)	9" 8(xn)	14" 8(xn)	19.5" 8(xn)	25.5" 10(xn)	32.5" 12(xn)	41" 16(xn)	51" 20(xn)	

Musky / Saltwater Rod Blank Featuring RX8 Graphite (Color Available Matte Clear)

model	desc/length		sect	line wt	guide spacing & guide sizes								
XMU916 ** casting	Matte Clear	7'7"	1	17-40lb.	4.5" 8(ud)	9" 8(ud)	14" 8(ud)	19.5" 8(ud)	25.5" 10(ud)	32.5" 12(ud)	41" 16(ud)	51" 20(ud)	

Salmon / Steelhead Rod Blanks

Salmon / Steelhead Rod Blanks Featuring RX8 Graphite (Color Available Titanium Chrome)

model	desc/length		sect	line wt	guide spacing & guide sizes									
XST1141F	Titanium Chrome	9'6"	2	4 - 8 LB	N/A									
casting														
XST1141F	Titanium Chrome	9'6"	2	4 - 8 LB	4.75"	10.5"	17"	24.5"	33.5"	44.5"	56.5"	73"		
spinning					6(m or vs)	6(m or vs)	6(m or vs)	7(m or vs)	08(m or vs)	10(m or vs)	16(m or vs)	25(m or vs)		
XST1143F	Titanium Chrome	9'6"	2	8-12 LB	4"	9"	15"	22"	29.25"	37"	45.5"	55"	65.5"	76.5"
casting					6 (F)	6 (F)	6 (F)	6 (F)	7 (F)	8 (ud)	8 (ud)	10 (ud)	10 (ud)	12 (ud)
XST1143F	Titanium Chrome	9'6"	2	8-12 LB	4.75"	10.5"	17"	24.5"	33.5"	44.5"	56.5"	73"		
spinning					6(vs)	6(vs)	6(vs)	7(vs)	08(vs)	10(vs)	16(vs)	25(vs3)		
XST1025F	Titanium Chrome	8'6"	2	10-17 LB	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"	
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
XST1025F	Titanium Chrome	8'6"	2	10-17 LB	5"	11"	18"	27"	37"	48.25"	62.5"			
spinning					7 (vs)	7 (vs)	8 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs3)			
XST1084F	Titanium Chrome	9'0"	2	8-12 LB	3.75"	7.75"	12.25"	17.25"	23.5"	31"	39"	48"	58.5"	70.5"

casting					6 (f)	6 (f)	6 (f)	6 (f)	7 (f)	8 (ud)	8 (ud)	10 (ud)	10 (ud)	12 (ud)	
XST1084F	Titanium Chrome	9'0"	2	8-12 LB	5"	11.25"	19.25"	29"	39"	50.75"	67"				
spinning					7(vs)	7(vs)	8(vs)	8(vs)	10(vs)	16(vs)	25(vs3)				
XST1263F	Titanium Chrome	10'6"	2	8-12 LB	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"	
casting					6(f)	6(f)	6(f)	6(f)	6(f)	7(f)	8(ud)	10(ud)	10 (ud)	12 (ud)	
XST1263F	Titanium Chrome	10'6"	2	8-12 LB	5"	11"	18"	26"	36"	47"	59"	72"	85"		
spinning					6(vs)	6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	12(vs)	16(vs)	25(vs3)		
XST1264F	Titanium Chrome	10'6"	2	10-17 LB	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"	85.75"
casting					7 (f)	7 (f)	7 (f)	7 (f)	8(f)	8(ud)	10(ud)	10(ud)	10 (ud)	12 (ud)	16 (ud)
XST1264F	Titanium Chrome	10'6"	2	10-17 LB	5"	11"	18"	26"	36"	47"	59"	72"	85"		
spinning					6(vs3)	6(vs3)	7(vs3)	8(vs3)	10(vs3)	12(vs3)	16(vs3)	20(vs3)	30(vs3)		

Salmon / Steelhead Rod Blanks Featuring RX7 Graphite (Color Available Olympic Green / Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes											
IST993F	Oly. Grn./M. Clr.8'3"	2	6-10 lb.	3.5"	7"	11.25"	16.5"	23.25"	31.25"	39.5"	49"	59"			
casting				6(F)	6(F)	6(F)	7(F)	7(F)	08(ud)	10(ud)	10(ud)	12(ud)			
IST993F	Oly. Grn./M. Clr.8'3"	2	6-10 lb.	4.5"	9.25"	14.25"	21"	28"	37"	47"	59"				
spinning				6(vs)	6(vs)	7(vs)	7(vs)	8(vs)	10(vs)	16(vs)	30(vs)				
IST1024F	Oly. Grn./M. Clr.8'6"	2	8-12 lb.	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"			
casting				6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)			
IST1024F	Oly. Grn./M. Clr.8'6"	2	8-12 lb.	5"	11"	18"	27"	37"	48.25"	62.5"					
spinning				6 (vs)	6(vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs3)					
IST1025F	Oly. Grn./M. Clr.8'6"	2	10-17 lb.	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"			
casting				6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)			
IST1025F	Oly. Grn./M. Clr.8'6"	2	10-17 lb.	5"	11"	18"	27"	37"	48.25"	62.5"					
spinning				7 (vs)	7 (vs)	8 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs3)					
ISA1026F	Oly. Grn./M. Clr.8'6"	2	12-25 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"		
casting				06(ud)	06(ud)	06(ud)	07(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)		
ISA1026F	Oly. Grn./M. Clr.8'6"	2	12-25 lb.	5"	11"	18"	27"	37"	48.25"	62.5"					
spinning				7(vs3)	7(vs3)	8(vs3)	8(vs3)	10(vs3)	16(vs3)	30(vs3)					
ISA1027F	Matte Clear	8'6"	2	15-30 lb.	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"		
casting				8(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	10(ud)	12(ud)	16(ud)			
ISA1027F	Matte Clear	8'6"	2	15-30 lb.	5"	11"	18"	27"	37"	48.25"	62.5"				
spinning				08(vs3)	08(vs3)	10(vs3)	12(vs3)	16(vs3)	20(vs3)	30(vs3)					
IST1081F	Oly. Grn./M. Clr.9'0"	2	4-8 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	31"	39"	48"	58.5"	70.5"		
casting				6(F)	6(F)	6(F)	6(F)	7(F)	7(F)	7(F)	8(ud)	10(ud)	12(ud)		

IST1081F spinning	Oly. Grn./M. Clr.9'0"	2	4-8 lb.	5" 6(vs)	11.25" 6(vs)	19.25" 7(vs)	29" 8(vs)	39" 10(vs)	50.75" 16(vs)	67" 25(vs)				
IST1082F casting	Oly. Grn./M. Clr.9'0"	2	6-10 lb.	3.75" 6 (ud)	7.75" 6 (ud)	12.25" 6 (ud)	17.25" 6 (ud)	23.5" 7 (ud)	31" 7 (ud)	39" 7 (ud)	48" 8 (ud)	58.5" 10 (UD)	70.5" 12 (UD)	
IST1082F spinning	Oly. Grn./M. Clr.9'0"	2	6-10 lb.	5" 6(vs)	11.25" 6(vs)	19.25" 7(vs)	29" 8(vs)	39" 10(vs)	50.75" 16(vs)	67" 25(vs)				
IST1084F casting	Oly. Grn./M. Clr.9'0"	2	8-12 lb.	3.75" 6 (ud)	7.75" 6 (ud)	12.25" 6 (ud)	17.25" 6 (ud)	23.5" 7 (ud)	31" 7 (ud)	39" 7 (ud)	48" 8 (ud)	58.5" 10 (ud)	70.5" 12 (ud)	
IST1084F spinning	Oly. Grn./M. Clr.9'0"	2	8-12 lb.	5" 7(vs)	11.25" 7(vs)	19.25" 8(vs)	29" 8(vs)	39" 10(vs)	50.75" 16(vs)	67" 25(vs3)				
IST1085F casting	Oly. Grn./M. Clr.9'0"	2	10-17 lb.	3.75" 6 (ud)	7.75" 6 (ud)	12.25" 6 (ud)	17.25" 6 (ud)	23.5" 7 (ud)	31" 7 (ud)	39" 7 (ud)	48" 8 (ud)	58.5" 10 (ud)	70.5" 12 (ud)	
IST1085F spinning	Oly. Grn./M. Clr.9'0"	2	10-17 lb.	5" 7(vs)	11.25" 7(vs)	19.25" 8(vs)	29" 8(vs)	39" 10(vs)	50.75" 16(vs)	67" 25(vs3)				
ISA1086F casting	Oly. Grn./M. Clr.9'0"	2	12-25 lb.	3.75" 7 (ud)	7.75" 7 (ud)	12.25" 7 (ud)	17.25" 7 (ud)	23.5" 7 (ud)	31" 7 (ud)	39" 8 (ud)	48" 8 (ud)	58.5" 10 (ud)	70.5" 12 (ud)	
ISA1087F casting	Matte Clear	9'0"	2	15-30 lb.	3.75" 8(ud)	7.75" 8(ud)	12.25" 8(ud)	17.25" 8(ud)	23.5" 10(ud)	31" 10(ud)	39" 10(ud)	48" 12(ud)	58.5" 12(ud)	70.5" 16(ud)
ISA1087F spinning	Matte Clear	9'0"	2	15-30 lb.	5" 8(vs3)	11.25" 8(vs3)	19.25" 10(vs3)	29" 12(vs3)	39" 16(vs3)	50.75" 20(vs3)	67" 30(vs3)			
IST1141F casting	Oly. Grn./M. Clr.9'6"	2	4-8 lb.	n/a										
IST1141F spinning	Oly. Grn./M. Clr.9'6"	2	4-8 lb.	4.75" 6(m or vs)	10.5" 6(m or vs)	17" 6(m or vs)	24.5" 7(m or vs)	33.5" 08(m or vs)	44.5" 10(m or vs)	56.5" 16(m or vs)	73" 25(m or vs)			
IST1142F casting	Oly. Grn./M. Clr.9'6"	2	4-10 lb.	4" 6(vs)	9" 6(vs)	15" 6(vs)	22" 6(vs)	29.25" 6(vs)	37" 7(vd)	45.5" 7(vd)	55" 8(vd)	65.5" 10(vd)	76.5" 12(vd)	
IST1142F spinning	Oly. Grn./M. Clr.9'6"	2	4-10 lb.	4.75" 6(vs)	10.5" 6(vs)	17" 6(vs)	24.5" 7(vs)	33.5" 08(vs)	44.5" 10(vs)	56.5" 16(vs)	73" 25(vs)			
IST1143F casting	Oly. Grn./M. Clr.9'6"	2	8-12 lb.	4" 6 (f)	9" 6 (f)	15" 6 (f)	22" 6 (f)	29.25" 7 (f)	37" 7 (f)	45.5" 8 (ud)	55" 10 (ud)	65.5" 10 (ud)	76.5" 12 (ud)	
IST1143F spinning	Oly. Grn./M. Clr.9'6"	2	8-12 lb.	4.75" 6(vs)	10.5" 6(vs)	17" 6(vs)	24.5" 7(vs)	33.5" 08(vs)	44.5" 10(vs)	56.5" 16(vs)	73" 25(vs3)			
IST1201F casting	Oly. Grn./M. Clr.10'0"	2	4-8 lb.	4" 6(vs)	9" 6(vs)	15" 6(vs)	22" 6(vs)	30" 6(vs)	39" 7(vs)	48" 7(vs)	57.5" 08(vd)	67.375" 08(vd)	77.5" 10(vd)	89.5" 12(vd)
IST1201F spinning	Oly. Grn./M. Clr.10'0"	2	4-8 lb.	4.5" 6(vs)	10" 6(vs)	17" 6(vs)	26" 07(vs)	38" 08(vs)	50" 10(vs)	65.75" 16(vs)	84" 25(vs)			
IST1263F casting	Oly. Grn./M. Clr.10'6"	2	8-12 lb.	4.25" 6(f)	9" 6(f)	14.25" 6(f)	20.25" 6(f)	27" 6(f)	34.5" 7(f)	43" 8(ud)	52.5" 10(ud)	62.75" 10 (ud)	73.75" 12 (ud)	85.75" 16 (ud)
IST1263F spinning	Oly. Grn./M. Clr.10'6"	2	8-12 lb.	5" 6(vs)	11" 6(vs)	18" 6(vs)	26" 7(vs)	36" 8(vs)	47" 10(vs)	59" 12(vs)	72" 16(vs)	85" 25(vs3)		85.75" 12(ud)
IST1264F	Oly. Grn./M. Clr.10'6"	2	10-17 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"	85.75"

casting				7 (ud)	7 (ud)	7 (ud)	7 (ud)	8(ud)	8(ud)	10(ud)	10(ud)	10 (ud)	12 (ud)	16 (ud)	
IST1264F	Oly. Grn./M. Clr.10'6"	2	10-17 lb.	5"	11"	18"	26"	36"	47"	59"	72"	85"			
spinning				7(vs3)	7(vs3)	7(vs3)	8(vs3)	10(vs3)	12(vs3)	16(vs3)	20(vs3)	30(vs3)			
IST1265F	Oly. Grn./M. Clr.10'6"	2	10-20 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"	85.75"	
casting				7 (ud)	7 (ud)	7 (ud)	7 (ud)	7 (ud)	8(ud)	8(ud)	10(ud)	10 (ud)	12 (ud)	16 (ud)	
IST1265F	Oly. Grn./M. Clr.10'6"	2	10-20 lb.	5"	11"	18"	26"	36"	47"	59"	72"	85"			
spinning				7(vs3)	7(vs3)	7(vs3)	8(vs3)	10(vs3)	12(vs3)	16(vs3)	20(vs3)	30(vs3)			
ISA1266F	Oly. Grn./M. Clr.10'6"	2	12-25 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"		
casting				7(ud)	7(ud)	7(ud)	7(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)		
ISA1266F	Oly. Grn./M. Clr.10'6"	2	12-25 lb.	5"	11"	18"	26"	36"	47"	59"	72"	85"			
spinning				07(vd)	07(vd)	08(vd)	08(vd)	10(vd)	12(vd)	16(vd)	20(vd)	30(vd)			
ISA1355F	Oly. Grn./M. Clr.11'3"	2	10-20 lb.	4.25"	9"	14.25"	27"	34.5"	43.25"	52.5"	62.125"	72.625	83.625	96	
casting				7(ud)	7(ud)	7(ud)	7(ud)	7(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)	
ISA1355F	Oly. Grn./M. Clr.11'3"	2	10-20 lb.	N/A											
spinning															
IST1382F	Oly. Grn./M. Clr.11'6"	2	4-8 lb.	N/A											
casting															
IST1382F	Oly. Grn./M. Clr.11'6"	2	4-8 lb.	5.5"	11.5"	18"	26"	35.5"	46"	57"	68.5"	81.5"	95.5"		
spinning				6(m)	6(m)	6(m)	7(m)	8(m)	10(m)	12(m)	16(m)	20(m)	25(m)		
IST1384F	Oly. Grn./M. Clr.11'6"	2	4-10 lb.	4.25"	9"	14.25"	27"	34.5"	4.25"	52.5"	62.125"	72.625"	83.625"	96"	
casting				6(vs)	6(vs)	6(vs)	6(vs)	7(vs)	7(vs)	8(vs)	8(vd)	10(vd)	10(vd)	12(vd)	
IST1384F	Oly. Grn./M. Clr.11'6"	2	4-10 lb.	5.5"	11.5"	18"	26"	35.5"	46"	57"	68.5"	81.5"	95.5"		
spinning				6(vs)	6(vs)	6(vs)	7(vs)	7(vs)	8(vs)	10(vs)	12(vs)	16(vs)	25(vs)		
ISA1446F	Oly. Grn./M. Clr.12'0"	2	12-25 lb.	4.25"	9"	14.25"	20.25"	26.75"	33.875	41.125	49	58	67.875"	90.875"	104.875
casting				7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	10(ud)	12(ud)	16(ud)
ISA1446F	Oly. Grn./M. Clr.12'0"	2	12-25 lb.	N/A											
spinning															
IST1562F	Oly. Grn./M. Clr.13'0"	2	6-10 lb.	N/A											
casting															
IST1562F	Oly. Grn./M. Clr.13'0"	2	6-10 lb.	4"	9"	15"	22"	30"	39"	49"	60"	72"	85"	99.5"	115.5"
spinning				6(m)	6(m)	6(m)	6(m)	6(m)	7(m)	7(m)	10(m)	10(m)	12(m)	16(m)	20(m)

Salmon / Steelhead Hot Shot Rod Blanks Featuring RX7 Graphite (Color Available Olympic Green / Matte Clear)

model	desc/length	sect	line wt	guide spacing & guide sizes											
HS9000	Oly. Grn./M. Clr.7'6"	1	8-17 lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	42.25"	51			
casting				6(vd)	6(vd)	6(vd)	6(vd)	7(vd)	8(vd)	8(vd)	10(vd)	12(vd)			
HS9000	Oly. Grn./M. Clr.7'6"	1	8-17 lb.	4.5"	9.25"	14.25"	20"	26"	33"	42"	54"				
spinning				6(vs3)	6(vs3)	7(vs3)	7(vs3)	8(vs3)	10(vs3)	16(vs3)	25(vs3)				
HS9001	Oly. Grn./M. Clr.7'6"	1	8-20 lb.	3.75"	7.75"	12"	16.5"	21.5"	27"	33.5"	42.25"	51			
casting				6(vd)	6(vd)	6(vd)	7(vd)	8(vd)	8(vd)	10(vd)	10(vd)	12(vd)			
HS9001	Oly. Grn./M. Clr.7'6"	1	8-20 lb.	4.5"	9.25"	14.25"	20"	26"	33"	42"	54"				

spinning					6(vs3)	6(vs3)	7(vs3)	7(vs3)	8(vs3)	10(vs3)	16(vs3)	25(vs3)		
HS930	Oly. Grn./M. Clr.7'9"	1	8-17 lb.	4"	8"	12.5"	17.5"	23"	29"	36"	44.25"	53.75"		
casting				6(vd)	6(vd)	6(vd)	6(vd)	7(vd)	8(vd)	8(vd)	10(vd)	12(vd)		
HS932	Oly. Grn./M. Clr.7'9"	1	12-20 lb.	4"	8"	12.5"	17.5"	23"	29"	36"	44.25"	53.75"		
casting				7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)		
HS962	Oly. Grn./M. Clr.8'0"	1	12-20 lb.	3.5"	7"	11.25"	16.5"	23.25"	31.25"	39.5"	49"	59"		
casting				7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	08(ud)	10(ud)	10(ud)	12(ud)		
HS1021F	Oly. Grn./M. Clr.8'6"	2	10-20 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"	
casting				6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)	
HS1023F	Oly. Grn./M. Clr.8'6"	2	12-25 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"	
casting				6(ud)	6(ud)	6(ud)	6(ud)	7(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)	
HS1025F	Oly. Grn./M. Clr.8'6"	2	15-30 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"	
casting				7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	10(ud)	10(ud)	12(ud)	16(ud)	

Salmon / Steelhead Rod Blanks Featuring RX6 Graphite (Available In Clear Gloss)

model	desc/length		sect	line wt	guide spacing & guide sizes									
SH1024-2	Clear Gloss	8'6"	2	8-12 lb.	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"	
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
SH1024-2	Clear Gloss	8'6"	2	8-12 lb.	5"	11"	18"	27"	37"	48.25"	62.5"			
spinning					6 (vs)	6(vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs3)			
SH1025-2	Clear Gloss	8'6"	2	10-17 lb.	4.5"	9.5"	15.5"	22"	29"	36.375"	45.25"	54.25"	64.25"	
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)	
SH1025-2	Clear Gloss	8'6"	2	10-17 lb.	5"	11"	18"	27"	37"	48.25"	62.5"			
spinning					6 (vs)	6(vs)	7 (vs)	8 (vs)	10 (vs)	16 (vs)	25 (vs3)			
SH1026-2	Clear Gloss	8'6"	2	12-25 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"
casting					06(ud)	06(ud)	06(ud)	07(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)
SH1026-2	Clear Gloss	8'6"	2	12-25 lb.	5"	11"	18"	27"	37"	48.25"	62.5"			
spinning					7 (vs3)	7(vs3)	8 (vs3)	8 (vs3)	10 (vs3)	16 (vs3)	30 (vs3)			
SH1081-2	Clear Gloss	9'0"	2	4-8 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	31"	39"	48"	58.5"	70.5"
casting					6(F)	6(F)	6(F)	6(F)	7(F)	7(F)	7(F)	8(ud)	10(ud)	12(ud)
SH1081-2	Clear Gloss	9'0"	2	4-8 lb.	5"	11.25"	19.25"	29"	39"	50.75"	67"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)			
SH1082-2	Clear Gloss	9'0"	2	6-10 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	31"	39"	48"	58.5"	70.5"
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (UD)	12 (UD)
SH1082-2	Clear Gloss	9'0"	2	6-10 lb.	5"	11.25"	19.25"	29"	39"	50.75"	67"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs)			
SH1084-2	Clear Gloss	9'0"	2	8-12 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	31"	39"	48"	58.5"	70.5"
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)
SH1084-2	Clear Gloss	9'0"	2	8-12 lb.	5"	11.25"	19.25"	29"	39"	50.75"	67"			
spinning					6(vs)	6(vs)	7(vs)	8(vs)	10(vs)	16(vs)	25(vs3)			
SH1141-2	Clear Gloss	9'6"	2	4-8 lb.	4.75"	10.5"	17"	24.5"	33.5"	44.5"	56.5"	73"		

spinning					6(m or vs)	6(m or vs)	6(m or vs)	7(m or vs)	08(m or vs)	10(m or vs)	16(m or vs)	25(m or vs)		
SH1141-2	Clear Gloss	9'6"	2	4-8 lb.	4.75"	10.5"	17"	24.5"	33.5"	44.5"	56.5"	73"		
spinning					6(m or vs)	6(m or vs)	6(m or vs)	7(m or vs)	08(m or vs)	10(m or vs)	16(m or vs)	25(m or vs)		
SH1143-2	Clear Gloss	9'6"	2	8-12 lb.	4"	9"	15"	22"	29.25"	37"	45.5"	55"	65.5"	76.5"
casting					6 (ud)	6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)
SH1143-2	Clear Gloss	9'6"	2	8-12 lb.	4.75"	10.5"	17"	24.5"	33.5"	44.5"	56.5"	73"		
spinning					6(vs)	6(vs)	6(vs)	7(vs)	08(vs)	10(vs)	16(vs)	25(vs3)		

Salmon / Steelhead Float-Troll-Downrigger Rod Blanks Featuring RX4 Graphite/Composite (Color Available Olympic Green / Matte Clear

model	desc/length	sect	line wt	guide spacing & guide sizes											
BP1024F	Oly. Grn./M. Clr.8'6"	2	12-17 lb	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"		
casting				06(ud)	06(ud)	06(ud)	07(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)		
BP1025F	Oly. Grn./M. Clr.8'6"	2	15-25 lb.	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"		
casting				07(ud)	07(ud)	076(ud)	08(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)		
BP1147F	Oly. Grn./M. Clr.9'6"	2	15-30 lb.	4"	9"	15"	22"	29.25"	37"	45.5"	55"	65.5"	76.5"		
casting				6 (ud)	6 (ud)	6 (ud)	6 (ud)	6 (ud)	7 (ud)	7 (ud)	8 (ud)	10 (ud)	12 (ud)		
BP1264F	Oly. Grn./M. Clr.10'6"	2	10-20 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"		
casting				7 (ud)	7 (ud)	7 (ud)	7 (ud)	8(ud)	8(ud)	10(ud)	10(ud)	10 (ud)	12 (ud)		
BP1265F	Oly. Grn./M. Clr.10'6"	2	10-25 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"		
casting				7 (ud)	7 (ud)	7 (ud)	7 (ud)	8(ud)	8(ud)	10(ud)	10(ud)	12 (ud)	16 (ud)		
BP1266F	Oly. Grn./M. Clr.10'6"	2	12-30 lb.	4.25"	9"	14.25"	20.25"	27"	34.5"	43"	52.5"	62.75"	73.75"		
casting				7 (ud)	7 (ud)	7 (ud)	7 (ud)	8(ud)	8(ud)	10(ud)	10(ud)	12 (ud)	16 (ud)		
BP1446F	Oly. Grn./M. Clr.12'0"	2	12-25 lb.	4.25"	9"	14.25"	20.25"	26.75"	33.875	41.125	49	58	67.875"	90.875"	104.875
casting				7(ud)	7(ud)	7(ud)	7(ud)	8(ud)	8(ud)	8(ud)	10(ud)	10(ud)	10(ud)	12(ud)	16(ud)

Downrigger/Kokanee/Trolling Blanks

Float-Troll-Downrigger Rod Blanks Featuring RX6 Graphite Blend (Color Available Dark Blue)

model	desc/length	sect	line wt	guide spacing & guide sizes										
RDR70L	Dark Blue	7'0"	1	4-10 lb.	3"	6.5"	10.5"	15"	20"	26"	33"	41"	51	
casting					6(F)	6(F)	6(F)	6(F)	6(F)	7(F)	8(F)	10(ud)	12(ud)	
RDR76L	Dark Blue	7'6"	1	4-10 lb.	3.5"	7.5"	12"	17"	23"	30"	37.5"	46"	56"	
casting					6(f)	6(F)	6(F)	6(f)	6(f)	7(f)	8(f)	10(ud)	12(ud)	
RDR70M	Dark Blue	7'0"	1	10-17 LB	3"	6.5"	10.5"	15"	20"	26"	33"	41"	51"	
casting					06(ud)	06(ud)	06(ud)	07(ud)	07(ud)	08(ud)	08(ud)	10(ud)	12(ud)	
RDR80M	Dark Blue	8'0"	1+	10-17 LB	3.5"	7"	11.25"	16.5"	23.25"	31.25"	39.5"	49"	59"	
casting					6(ud)	6(ud)	6(ud)	7(ud)	8(ud)	08(ud)	10(ud)	10(ud)	12(ud)	
RDR86M	Dark Blue	8'6"	2	10-17 LB	3.75"	7.75"	12.25"	17.25"	23.5"	30"	37"	45"	54"	63.5"
casting					06(ud)	06(ud)	06(ud)	07(ud)	08(ud)	08(ud)	10(ud)	10(ud)	12(ud)	16(ud)

RDR86MH casting	Dark Blue	8'6" 2	12-25 LB 3.75" 07(ud)	7.75" 07(ud)	12.25" 07(ud)	17.25" 07(ud)	23.5" 08(ud)	30" 08(ud)	37" 10(ud)	45" 10(ud)	54" 12(ud)	63.5" 16(ud)
RDR100H casting	Dark Blue	10'0" 2	15 - 40 LB 5" 8(ud)	10.5" 8(ud)	16.5" 8(ud)	23.5" 8(ud)	31.5" 8(ud)	40" 10(ud)	49" 10(ud)	58" 10(ud)	68.5" 12(ud)	80" 16(ud)

model	desc/length		sect	line wt	guide spacing & guide sizes												
SW967	Trans. Blk./M. Clr.	8'0"	1	15-25 lb.	3.5"	7.5"	12"	17"	23"	30"	38"	47"	58"				
CASTING					8(XUD)	8(XUD)	8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)				
SW967F	Trans. Blk./M. Clr.	8'0"	2	15-25 lb.	3.5"	7.5"	12"	17"	23"	30"	38"	47"	58"				
CASTING					8(XUD)	8(XUD)	8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)				
SW1027	Trans. Blk./M. Clr.	8'6"	1	15-25 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"				
CASTING					8(Xud)	8(Xud)	8(Xud)	8(Xud)	10(Xud)	10(Xud)	10(Xud)	12(Xud)	16(Xud)				
SW1087	Trans. Blk./M. Clr.	8'10"	1	15-25 lb.	4"	8"	12.5"	17.25"	22.25"	27.75"	33.75"	40.375"	48"	56.25"	65"		
CASTING					8(xud)	8(xud)	8(xud)	8(xud)	8(xud)	10(xud)	10(xud)	10(xud)	12(xud)	16(Xud)	20(Xud)		
SW1088	Trans. Blk./M. Clr.	8'10"	1	20-30 lb.	4"	8"	12.5"	17.25"	22.25"	27.75"	33.75"	40.375"	48"	56.25"	65"		
CASTING					10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	12(xn)	12(xn)	16(Xn)	20(Xn)		
SW1089	Trans. Blk./M. Clr.	8'10"	1	20-40 lb.	4"	8"	12.5"	17.25"	22.25"	27.75"	33.75"	40.375"	48"	56.25"	65"		
CASTING					10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	10(xn)	12(xn)	12(xn)	16(Xn)	25(Xn)		
SW1207	Trans. Blk./M. Clr.	10'0"	1	15-25 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"				
CASTING					10(Xud)	10(Xud)	10(Xud)	12(Xud)	12(Xud)	12(Xud)	12(Xud)	16(Xud)	20(Xud)				
SW1208	Trans. Blk./M. Clr.	10'0"	1	20-30 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"				
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	16(XN)	16(XN)	20(XN)	20(XN)	25(XN)				
SW1209	Trans. Blk./M. Clr.	10'0"	1	20-40 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"				
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	16(XN)	16(XN)	20(XN)	20(XN)	25(XN)				
Surf Rod Blanks																	
Surf Rod Blanks Featuring RX7 Graphite (Available In Matte Clear)																	
model	desc/length		sect	line wt	guide spacing & guide sizes												

SU1087	Matte Clear	8'10"	1	12-25 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"			
CASTING					10(Xud)	10(Xud)	10(Xud)	12(Xud)	12(Xud)	12(Xud)	12(Xud)	16(Xud)	20(Xud)			
SU1088	Matte Clear	8'10"	1	15-30 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"			
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	16(XN)	16(XN)	20(XN)	20(XN)	25(XN)			
SU1207	Matte Clear	10'0"	1	12-25 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"			
CASTING					10(Xud)	10(Xud)	10(Xud)	12(Xud)	12(Xud)	12(Xud)	12(Xud)	16(Xud)	20(Xud)			
SU1208	Matte Clear	10'0"	1	15-30 lb.	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"			
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	16(XN)	16(XN)	20(XN)	20(XN)	25(XN)			
SU1209	Matte Clear	10'0"	1	20-60 lb	5"	9.5"	15.125"	21"	28"	35.125"	43.25"	51.5"	62"			
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	16(XN)	16(XN)	20(XN)	20(XN)	25(XN)			
SU1264F	Matte Clear	10'6"	2	15-20 lb.	5"	11"	18"	26"	35"	45"	56"	68"	81"			
spinning					8(VD)	8(VD)	10(VD)	10(VD)	12(VD)	16(VD)	20(VD)	25(VD)	30(VD)			
SU1266F	Matte Clear	10'6"	2	12-25 lb.	6"	14.75"	24.5"	37"	50.75"	71"						
spinning					10(VD)	12(VD)	16(VD)	20(VD)	25(VD)	30(VD)						
SU1267F	Matte Clear	10'6"	2	20-40 lb.												
CASTING																
SU1386F	Matte Clear	11'6"	2	20-30 lb.												
CASTING																
SU1387F	Matte Clear	11'6"	2	20-40 lb.												
CASTING																
SU1418F	Matte Clear	11'9"	2	15-40 lb.	5.25"	12"	20"	29.5"	40.5"	54.5"	72.5"					
CASTING					10(SU)	10(SU)	12(SU)	12(SU)	16(SU)	20(SU)	25(SU)					
SU1502F	Matte Clear	12'6"	2	30-50 lb.	5.5"	11.5"	19.25"	29.125"	43.125"	58.5"	81.25"					

CASTING					12(SU)	12(SU)	12(SU)	16(SU)	20(SU)	25(SU)	30(SU)					
SU1507F	Matte Clear	12'6"	2	15-30 lb.	5.5"	11.5"	19.25"	29.125"	43.125"	58.5"	81.25"					
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	20(XN)	25(XN)	30(XN)					
SU1508F	Matte Clear	12'6"	2	20-40 lb.	5.5"	11.5"	19.25"	29.125"	43.125"	58.5"	81.25"					
CASTING					12(XN)	12(XN)	12(XN)	16(XN)	20(XN)	25(XN)	30(XN)					
SU1509F	Matte Clear	12'6"	2	20-60 lb	5.5"	11.5"	19.25"	29.125"	43.125"	58.5"	81.25"					
CASTING					12(SU)	12(SU)	12(SU)	16(SU)	20(SU)	25(SU)	30(SU)					
SU1145F	Matte Clear	9'6"	2	12-25 lb.	5.25"	11.375"	18"	25.5"	34.875"	45.375"	57.25"					
CASTING					10(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)	20(XUD)	25(XUD)					
SU1569F	Matte Clear	13'0"	2	20-60 lb.	6.25"	13.25"	21.25"	30.25"	40.25"	51.375"	63.25"	76.5"				
CASTING					12(SU)	12(SU)	12(SU)	16(SU)	16(SU)	20(SU)	25(SU)	30(SU)				

E-glass Saltwater Rod Blanks

Saltwater Rod Blanks Featuring E-Glass (Available In Gloss Black)

model	desc/length		sect	line wt	guide spacing & guide sizes											
SWB70L	Gloss Black	7'0"	1	8-15 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				
CASTING					8(XUD)	8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)				
SWB70ML	Gloss Black	7'0"	1	12-20 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				
CASTING					8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)				
SWB70M	Gloss Black	7'0"	1	15-25 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				
CASTING					8(XST)	8(XST)	8(XST)	10(XST)	10(XST)	12(XST)	16(XST)	20(XST)				
SWB70MH	Gloss Black	7'0"	1	15-30 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				
CASTING					8(XN)	8(XN)	8(XN)	10(XN)	10(XN)	12(XN)	16(XN)	20(XN)				
SWB70H	Gloss Black	7'0"	1	20-40 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				

CASTING					10(XN)	10(XN)	10(XN)	10(XN)	12(XN)	16(XN)	20(XN)	25(XN)				
SWB70XH	Gloss Black	7'0"	1	25-50 lb.	3.75"	7.75"	12.25"	17.25"	23.375"	30"	37"	45"				
CASTING					10(SU)	10(SU)	10(SU)	10(SU)	12(SU)	16(SU)	20(SU)	25(SU)				
SWB76L	Gloss Black	7'6"	1	8-15 lb.												
CASTING																
SWB76ML	Gloss Black	7'6"	1	12-20 lb.												
CASTING																
SWB76M	Gloss Black	7'6"	1	15-25 lb.												
CASTING																
SWB76MH	Gloss Black	7'6"	1	15-30 lb.												
CASTING																
SWB76H	Gloss Black	7'6"	1	20-40 lb.												
CASTING																
SWB76XH	Gloss Black	7'6"	1	25-50 lb.												
CASTING																
SWB80L	Gloss Black	8'0"	1	8-15 lb.	3.875"	8.125"	12.5"	17.5"	23.125"	29.125"	36.125"	45"	56"			
CASTING					8(XUD)	8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)			
SWB80ML	Gloss Black	8'0"	1	12-20 lb.	3.875"	8.125"	12.5"	17.5"	23.125"	29.125"	36.125"	45"	56"			
CASTING					8(XUD)	8(XUD)	8(XUD)	8(XUD)	10(XUD)	10(XUD)	10(XUD)	12(XUD)	16(XUD)			
SWB80M	Gloss Black	8'0"	1	15-25 lb.	3.875"	8.125"	12.5"	17.5"	23.125"	29.125"	36.125"	45"	56"			
CASTING					8(XST)	8(XST)	8(XST)	8(XST)	10(XST)	10(XST)	12(XST)	16(XST)	20(XST)			
SWB80MH	Gloss Black	8'0"	1	15-30 lb.	3.875"	8.125"	12.5"	17.5"	23.125"	29.125"	36.125"	45"	56"			
CASTING					8(XN)	8(XN)	8(XN)	8(XN)	10(XN)	10(XN)	12(XN)	16(XN)	20(XN)			
SWB80H	Gloss Black	8'0"	1	20-40 lb.	3.875"	8.125"	12.5"	17.5"	23.125"	29.125"	36.125"	45"	56"			

[illegible]