

zziplex ring spacings

NAME FITTING

SPACINGS IN INCHES MEASURED FROM THE TIP
TOTAL

BASS LIGHT MULTIPLIER 4 9 15 22 30 40 55 75 8+Tip

BASS LIGHT FIXED SPOOL 6 14 24 36 52 75 6+Tip

BASS LIGHT DUEL PURPOSE 4 9 15 23 35 51 75 7+Tip

PTX BASS MULTIPLIER 4 9 15 22 31 43 58 79 8+Tip

PTX BASS FIXED SPOOL 6 14 24 37 54 79 6+Tip

PTX BASS DUEL PURPOSE 4 9 15 23 35 51 75 7+Tip

3500 MULTIPLIER HIGH 4 9 15 22 31 43 60 and 6" Down from top of butt. 8+Tip

3500 MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

3500 FIXED SPOOL 6 14 24 38 58 86 6+Tip

3500S MULTIPLIER HIGH 4 9 15 22 31 43 63 and 6" Down from top of butt. 8+Tip

3500S MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

3500S FIXED SPOOL 6 14 24 38 56 81 6+Tip

4500S MULTIPLIER HIGH 4 9 15 22 31 43 61 and 6" Down from top of butt. 8+Tip

4500S MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

4500S FIXED SPOOL 6 14 24 38 56 80 6+Tip

4500 MULTIPLIER HIGH 4 9 15 22 31 43 61 and 6" Down from top of butt. 8+Tip

4500 MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

4500 FIXED SPOOL 6 14 24 38 56 80 6+Tip

F5000 MULTIPLIER HIGH 4 9 15 22 31 43 63 and 6" Down from top of butt. 8+Tip

F5000 MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

F5000 FIXED SPOOL 6 14 24 38 56 81 6+Tip

TZERO MULTIPLIER HIGH 4 9 15 22 31 43 61 and 6″ Down from top of butt. 8+Tip

TZERO MULTIPLIER LOW 4 9 15 22 31 43 60 90 8+Tip

TZERO FIXED SPOOL 6 14 24 38 56 80 6+Tip

SEA RAIDER 2 MULTIPLIER 4 9 15 22 30 39 50 66 7+Tip

SEA RAIDER 1 MULTIPLIER 4 9 15 22 30 39 50 63 7+Tip

BASS MARINE MULTIPLIER 4 9 15 22 30 39 50 63 7+Tip

PROFILE MULTIPLIER 4.5 10 16.5 24 33 45 60 and 10″ Down from top of butt. 8+Tip

PROFILE FIXED SPOOL 6 14 25 39 58 and 8″ Down from top of butt. 6+Tip

PROFILE LURE MULTIPLIER 4.5 10 16.5 24 33 45 60 and 8″ Down from top of butt. 8+Tip

PROFILE LURE FIXED SPOOL 6 14 25 39 58 and 8″ Down from top of butt. 6+Tip

PRIMO RANGE MULTIPLIER 4 9 15 22 31 43 63 93 8+Tip

PRIMO RANGE FIXED SPOOL 5 12 22 36 57 85 6+Tip

PRIMO SYNCHRO MULTIPLIER 5 11 18 26 35 47 65 and 6″ Down from top of butt. 8+Tip

PRIMO SYNCHRO FIXED SPOOL 6 14 24 38 56 81 6+Tip

PHASE TAPER MULTIPLIER 4 9 15 22 31 43 60 and 6″ Down from top of butt. 8+Tip

PHASE TAPER FIXED SPOOL 6 14 24 38 56 and 4″ Down from top of butt. 6+Tip

PHASE TAPER DUEL PURPOSE 4 9 15 23 35 51 75 7+Tip

XTR GROUNDCASTER MULTIPLIER 5 11 18 26 36 49 67 and 7″ Down from top of butt. 8+Tip

XTR GROUNDCASTER FIXED SPOOL 6 14 24 38 56 84 6+Tip

XTR Equal Sections MULTIPLIER 5 11 18 26 35 47 64 and 10″ Down from top of butt. 8+Tip

XTR Equal Sections FIXED SPOOL 6 15 27 43 63 and 10″ Down from top of butt 6+Tip

WEST COAST MULTIPLIER 4 9 15 22 31 43 60 and 6″ Down from top of butt. 8+Tip

WEST COAST FIXED SPOOL 6 14 24 38 58 86 6+Tip

50/50 T/F MULTIPLIER 5 11 18 26 35 47 62 and 10″ Down from top of butt. 8+Tip

50/50 T/F FIXED SPOOL 6 14 24 38 56 88 6+Tip

50/50 MATCH MULTIPLIER 4 9 15 22 31 42 60 and 10″ Down from top of butt. 8+Tip

50/50 MATCH FIXED SPOOL 6 14 27 42 60 88 6+Tip

V MAX 1 MULTIPLIER 5 11 18 26 35 47 63 and 6″ Down from top of butt. 8+Tip

V MAX 1 FIXED SPOOL 6 14 24 38 56 84 6+Tip

V MAX 2 MULTIPLIER 5 11 18 26 36 49 67 and 6″ Down from top of butt. 8+Tip

V MAX 2 FIXED SPOOL 6 14 24 38 56 84 6+Tip

V MAX 3 MULTIPLIER 4 9 15 22 31 43 60 84 8+Tip

V MAX 3 FIXED SPOOL 6 14 24 37 54 80 6+Tip

DYMIC HST MULTIPLIER 5 11 18 26 35 47 65 and 6″ Down from top of butt. 8+Tip

DYMIC HST FIXED SPOOL 6 14 24 38 56 81 6+Tip

DYMIC LT13 & 14 MULTIPLIER 5 11 18 26 36 49 67 and 7″ Down from top of butt. 8+Tip

DYMIC LT13 & 14 FIXED SPOOL 6 14 24 38 56 84 6+Tip

DYMIC LT BULLET MULTIPLIER 5 11 18 26 36 49 67 and 7″ Down from top of butt. 8+Tip

DYMIC LT BULLET FIXED SPOOL 6 14 24 38 56 84 6+Tip

GB3 LITE 3 piece MULTIPLIER 5 11 18 27 38 52 70 96 8+Tip

GB3 LITE 3 piece FIXED SPOOL 8 18 30 45 65 95 6+Tip

GB3 HEAVY 3 piece MULTIPLIER 5 11 18 26 36 48 63 81 105 9+Tip

GB3 HEAVY 3 piece FIXED SPOOL 8 18 30 46 68 102 6+Tip

LDC CARP FIXED SPOOL 5 12 21 32 45 63 89 7+Tip

QUATTRA CARP FIXED SPOOL 5 12 21 32 45 63 89 7+Tip

ZZIPLEX CLASSICS FROM THE PAST

KEVLON BASS MULTIPLIER 4 9 15 22 31 43 58 79 8+Tip

KEVLON BASS FIXED SPOOL 6 14 24 37 54 79 6+Tip

PTX BASS MULTIPLIER 4 9 15 22 31 43 58 79 8+Tip

PTX BASS FIXED SPOOL 6 14 24 37 54 79 6+Tip

2500LM MULTIPLIER 4 9 15 22 30 40 54 74 8+Tip

2500LM MULTIPLIER HIGH REEL 4 9 15 22 30 40 54 74 8+Tip

2500LM MULTIPLIER LOW REEL 4 9 15 22 30 40 58 88 8+Tip

2500LM FIXED SPOOL 5 12 21 32 46 72 6+Tip

2500 PTX MULTIPLIER 4 9 15 22 30 40 54 74 8+Tip

2500PTX MULTIPLIER HIGH REEL 4 9 15 22 30 40 54 74 8+Tip

2500PTX MULTIPLIER LOW REEL 4 9 15 22 30 40 58 88 8+Tip

2500PTX FIXED SPOOL 5 12 21 32 46 72 6+Tip

Z125G MULTIPLIER 3.5 8 14 21.5 32 46 64 88 8+Tip

Z125G MULTIPLIER HIGH REEL 4 9 15 22 30 40 54 74 8+Tip

Z125G MULTIPLIER LOW REEL 4 9 15 22 30 40 58 88 8+Tip

Z125G FIXED SPOOL 5 12 21 32 46 72 6+Tip

NG1 MULTIPLIER 4 9 15 22 30 40 54 74 8+Tip

NG2 MULTIPLIER 4 9 15 22 30 40 54 74 6+Tip

NG2 FIXED SPOOL 5 12 21 32 46 72 6+Tip

GS MATCH MULTIPLIER 4 9 15 22 31 42 58 and 9″ Down from top of butt. 8+Tip

GS MATCH FIXED SPOOL 6 14 24 38 56 81 6+Tip
GS SPORT MULTIPLIER 4 9 15 22 31 42 58 and 9″ Down from top of butt. 8+Tip

GS SPORT FIXED SPOOL 6 14 24 38 56 81 6+Tip

GSi MULTIPLIER 4 9 15 22 31 42 58 and 9″ Down from top of butt. 8+Tip

GSi FIXED SPOOL 6 14 24 38 56 81 6+Tip

VANTAGE MULTIPLIER 3.5 8 14 21.5 32 46 64 88 8+Tip

FEDERATION MULTIPLIER 3.5 8 13.5 20 28 39 54 74 8+Tip

FEDERATION FIXED SPOOL 5 12 21 33 49 73 6+Tip

Z125G FIXED SPOOL 3.5 8 14 21.5 32 46 64 88 8+Tip

QUATTRA 5′ BUTT MULTIPLIER 4 9 15 23 33 46 68 and 8″ Down from top of butt. 8+Tip

QUATTRA 5′ BUTT FIXED SPOOL 6 14 24 38 56 80 6+Tip

QUATTRA 4′ BUTT MULTIPLIER 4 9 15 22 31 42 56 80 8+Tip

QUATTRA 4′ BUTT FIXED SPOOL 6 14 24 38 56 80 6+Tip

QUATTRA TRI MULTIPLIER 4.5 10 16.5 24.5 34.5 48 66 and 4″ Down from top of butt. 8+Tip

QUATTRA TRI FIXED SPOOL 6 14 24 38 56 86 6+Tip

CORE BACKCASTER MULTIPLIER 4.5 10 16.5 24.5 34.5 48 66 and 4″ Down from top of butt. 8+Tip

CORE BACKCASTER FIXED SPOOL 6 14 24 38 56 86 6+Tip

1994 QUATTRA 12′ MULTIPLIER 3.5 8 14 22 34 48 66 87 8+Tip

1994 QUATTRA13′ MULTIPLIER 3.5 8 14 22 34 48 66 90 8+Tip

ZF250 MULTIPLIER 4 9 15 23 33 46 62 and 7″ Down from top of butt. 8+Tip

ZF250 FIXED SPOOL 6 14 24 36 52 74 6+Tip

TZ500 MULTIPLIER 4 9 15 23 33 46 62 and 7″ Down from top of butt. 8+Tip

TZ500 FIXED SPOOL 6 14 24 36 52 74 6+Tip

SST MULTIPLIER 5 11 18 26 35 47 65 and 6″ Down from top of butt. 8+Tip

SST FIXED SPOOL 6 14 24 38 56 81 6+Tip
 1994 QUATTRA13′ SPORT MULTIPLIER 3.5 8 14 22 34 48 66 90 8+Tip

1994 QUATTRA13′ SPORT FIXED SPOOL 5 12 22 36 53 73 REEL UP 6+Tip

1994 QUATTRA13′ SPORT FIXED SPOOL 5 12 23 38 58 91 REEL DOWN 6+Tip

BULLET MULTIPLIER 3.5 8 14 21.5 31.5 44 58 76 102 9+Tip

BULLET SV MULTIPLIER 3.5 8 13.5 20 28 39 54 74 8+Tip

BULLET SV FIXED SPOOL 5 12 21 33 49 73 6+Tip

BULLET SPORT MULTIPLIER 3.5 8 14 21.5 31.5 44 58 76 102 9+Tip

TOURNAMENT BULLET MULTIPLIER 3.5 8 14 21.5 31.5 44 58 76 102 9+Tip

ZERO PLUS MULTIPLIER 3.5 8 13.5 20 28 39 54 74 8+Tip

ZERO PLUS FIXED SPOOL 5 12 21 33 49 73 6+Tip

PROAM MULTIPLIER 3.5 8 13.5 20 28 39 54 74 8+Tip

PROAM FIXED SPOOL 5 12 21 33 49 73 6+Tip

BACKCASTER B14 MULTIPLIER 4 9 15 23 33 47 69 and 10″ Down from top of butt. 8+Tip

BACKCASTER B14 FIXED SPOOL 6 14 24 38 56 86 6+Tip

BACKCASTER B15 MULTIPLIER 4 9 15 23 33 47 69 and 10″ Down from top of butt. 8+Tip

BACKCASTER B15 FIXED SPOOL 6 14 24 38 56 90 6+Tip

PRIMO MULTIPLIER LOW REEL 4 9 15 23 33 48 68 93 8+Tip

PRIMO MULTIPLIER HIGH REEL 5 11 18 26 35 47 65 and 6″ Down from top of butt. 8+Tip

PRIMO FIXED SPOOL 6 14 24 38 56 81 6+Tip

T ZERO MULTIPLIER 4 9 15 22 31 43 61 and 6″ Down from top of butt. 8+Tip

T ZERO FIXED SPOOL 6 14 24 38 56 80 6+Tip

F ZERO MULTIPLIER HIGH REEL 3.5 8 13.5 20 28 39 54 74 8+Tip

F ZERO MULTIPLIER LOW REEL 3.5 8 13.5 20 28 40 58 88 8+Tip

F ZERO FIXED SPOOL 5 12 21 33 49 73 6+Tip

PTX POWERTIP MULTIPLIER 5 11 18 26 36 49 67 and 78; Down from top of butt.
8+Tip

PTX POWERTIP FIXED SPOOL 6 14 24 38 56 84 6+Tip