

Carbontex Washer Sizes

Please check the price page first to see if your reel is listed there, or send us an email with your reel model to see if we have the proper set already sorted out. If not then you can try to find the washers that match your reel using these measurements.

Washer Number	Outside Diameter		Inside Diameter		Thickness			
	Millimeters	Inches	Millimeter	Inches	Millimeter	Inches		
1	16	0.613	8.25	0.325	.5, .76 1	.020, .030 .040		
2	16.8	0.66	4.3	0.169	1	0.04		
3	16.95	0.666	5.95	0.235	1	0.04		
3A	16.95	0.666	9.92	0.39	0.65	0.02		
4	17.15	0.675	9.35	0.368	0.5	0.025		
4A	17.77	0.7	8.54	0.334	0.76	0.03		
5	17.8	0.7	10.35	0.407	0.76	0.03		
6	18.25	0.72	8.35	0.33	1	0.04		
7	18.75	0.735	10.9	0.43	1	0.04		
7A	19	0.748	5.75	0.226	0.5	0.02		
8	19.5	0.765	4.2	0.165	1	0.04		
8**	19.54	0.769	8.06	0.318	0.76	0.03		
8***	20	0.788	8.1	0.319	0.94	0.037		
8A	20.18	0.794	4.93	0.195	0.65	0.025		
9	20.5	0.805	10.85	0.43	0.76	0.03		
10	20.5	0.81	8.1	0.32	0.5	0.02		
11	20.65	0.81	8.9	0.35	1	0.04		
12	20.7	0.815	13.15	0.518	0.76	0.03		
12A	20.85	0.82	12.85	0.505	0.65	0.025		
12B	21.11	0.831	14.75	0.58	0.65	0.025		
13	21.28	0.84	5.18	0.205	1	0.04		
13B	21.35	0.841	11.54	0.454	0.65	0.025		
14	21.5	0.85	8.1	0.32	.76 or 1	.030 or .040		
15	21.6	0.85	10.6	0.415	0.76	0.03		
15A	21.63	0.851	4.37	0.172	0.67	0.026		
15B	22.35	0.88	11.64	0.458	0.65	0.025		
16	22.6	0.89	12.7	0.5	1	0.04		
16A	22.7	0.893	5.4	0.213	0.76	0.03		
16B	22.7	0.893	12.69	0.499	0.76	0.03		
17	22.95	0.903	8.3	0.325	1	0.04		
18	22.98	0.904	8.15	0.32	.5 or .76	.020 or .030		
18A	23	0.905	10.18	0.401	0.76	.030 or .040		
18B	23.26	0.916	8.5	0.334	0.76	0.03		
18C	23.85	0.939	14.3	0.563	1.5	0.06		
19	23.9	0.94	11.3	0.445	1	0.04		
20	24.15	0.95	14.5	0.572	1	0.04		

20A	24.2	0.953		8.87	0.35	.76	0.03		
20B	24.44	0.962		14.54	0.572	.5	0.02		
20C	24.35	0.958		8.67	0.341	.76	0.03		
21	24.55	0.965		10.6	0.415	.5 or .76	.020 or .030		
21A	24.58	0.967		8.15	0.321	0.5	0.02		
22	24.6	0.97		14.5	0.57	0.76	0.03		
23	24.63	0.969		5	0.198	1	0.04		
24	24.65	0.97		19.3	0.76	0.76	0.03		
25	25.3	0.995		17.05	0.675	1	0.04		
26	25.4	1		8.4	0.33	.76 or 1	.030 or .040		
27	25.5	1		8.65	0.34	0.5	0.02		
28	25.8	1.015		18.7	0.735	1	0.04		
29	25.8	1.015		10.75	0.425	2	0.08		
29A	25.95	1.02		16.17	0.636	0.5	0.02		
30	25.95	1.02		19.25	0.76	1	0.04		
31	26	1.022		12	0.475	0.76	0.03		
31A	26.02	1.024		9.63	0.375	.65 or 1	.025 or .040		
32	26.45	1.044		8.35	0.329	1	0.04		
33	26.5	1.045		13	0.515	0.76	0.03		
34	26.55	1.045		15.65	0.615	0.76	0.03		
35									
36	26.8	1.055		12.75	0.5	0.5	0.02		
37	26.8	1.055		9.6	0.375	0.5	0.02		
38	26.85	1.055		12.65	0.5	1	0.04		
39	27.05	1.065		8.3	0.325	.5 or 1	.020 or .040		
40	27.1	1.066		13.85	0.545	1 or 1.13	.040 or .044		
40A	27.71	1.09		16.1	0.633	1	0.04		
41	27.95	1.1		15.65	0.615	0.76	0.03		
42	28	1.1		10.9	0.43	0.76	0.03		
43	28.35	1.115		18.9	0.745	1	0.04		
44	28.6	1.125		10.9	0.429	0.76	0.03		
45	28.65	1.127		21.05	0.83	1	0.04		
45A	28.67	1.128		15.92	0.627	1.10 or .65	.043 or .025		
45B	28.87	1.136		14.46	0.569	0.76	0.03		
45C	28.7	1.13		11.8	0.465	0.5	0.02		
46	29	1.14		8.6	0.34	0.76	0.03		
46A	29.84	1.175		16.97	0.688	1	0.04		
46B	30.42	1.197		12.4	0.489	1	0.04		
47	30.95	1.22		21.6	0.85	0.76	0.03		
48	31	1.22		8.9	0.35	1	0.04		
49	31.15	1.225		17	0.668	1	0.04		
49A	31.8	1.252		22.39	0.881	1.2	0.047		
50	32.35	1.275		8.25	0.325	.76 or .65	.030 or .025		
51	32.5	1.28		18.06	0.709	1	0.04		
52	32.65	1.285		17.1	0.673	0.76	0.03		
53	33.5	1.32		18.05	0.71	1	0.04		

[illegible]