

MASTEREEL ARISTOCRAT
INSTRUCTION MANUAL



AIREX
Spin Fishing

Operating the **AIREX MASTEREEL ARISTOCRAT**



1 Pick up line with right index finger with bail on top of spool.



2 Still holding line with right index finger, flip bail down with left hand.




3 As cast is made — finger releases line. Line automatically peels off spool.




4 Retrieve by turning handle forward. This automatically closes bail and winds line back on spool.

NOTE: It is not necessary to brake or thumb Airex reels.
Backlash is impossible!


Casting with **AIREX** Fresh Water Spinning Tackle



1. Aiming the cast—Hold rod in 10 o'clock position and sight it at target.



2. Start of back stroke—Rod bends as you abruptly bring it up.



3. Rod is stopped at about 12 o'clock on back stroke. Momentum bends the rod backward.




4. Forward cast — Flip wrist at once and without hesitation, while rod is stressed backward. Let rod do work.



5. Let line slip off forefinger at 10 o'clock position. "Follow through" by lowering rod during cast.


SIDE CAST

Use little or no back stroke, just snap the wrist. This cast will send lure low over the water. Motions A & B should be continuous with no hesitation at point "C".



CATAPULT CAST

Let out line about 1/2 of rod, grasp lure in left hand, pull back bending the rod and release — Good for short casts to land lure or bait under overhanging bushes.



SIDE-SWING CAST

Good for heavier lures and for heavier

live bait. Swing rod back and then swing forward, slowly and accelerating gradually. In casting with a light spinning outfit use minimum force with wrist motion. Use forearm sparingly.


Care and use of your **AIREX** Spinning Reel

Before every season oil reel with "3 in 1" or SAE 10 motor oil: crank handle shaft, anti-reverse sleeve (Mastereel, Aristocrat) or button (Spinster, Vagabond, and Beachcomber), handle knob, pickup finger shaft or bail and roller.

For best service, the Beachcomber should have a little more attention than that given fresh water spinning reels. Although completely anodized against corrosion, it will operate better if a few precautions are taken. The reel should be rinsed in fresh water as soon as possible after using in salt water. Oil moving parts of the Beachcomber daily when using in salt water. Each time reel is used check brake by pulling line with hand, with anti-reverse lock "on."


Why no Backlash

The illustrations below show, simply, the advantage of the spinning reel over the conventional type reel. When spin casting the line "coils" off the stationary spinning spool. There is no friction of a turning reel — no moving parts — no possibility of line binding and backing up — **NO BACKLASH.**



Spooling the Line

With reel on rod handle run line through large butt guide and attach to reel spool. Apply tension to line with thumb and index finger of right hand. Wood spool must revolve while line is taken from it — to prevent line twist. Easiest way to do this is to make an axle with a pencil or nail.



Illustrations below show correct and incorrect ways to wind spool.

The Counter Balanced Handle


The knurled nut opposite the crank on the handle permits you to reverse the crank, as well as serving as a counter balance. To bring crank into operating position merely loosen knurled nut, turn crank outward, then tighten nut. To turn crank inward for convenient storage just reverse the process.



Use of Drag Brake

Airex spinning reels are equipped with internal expansion drag brakes, adjusted by turning the wing-nut in or out. This protects your line and tackle from breakage by heavy fish or snagging.

When fish takes line, apply tension by turning brake nut on. Be careful not to tighten it so much that it will lock line.



Care of Drag Brake

To obtain full benefit of this revolutionary and exclusive internal expansion drag brake, follow these instructions:

1. Unscrew wing-nut and pull spool off expansion brake drum.
2. Wipe brake drum with clean, dry rag.
3. With your finger, smear evenly a small amount of special brake dressing on face of brake drum.
4. Install spool on drum. Replace wing-nut. Adjust it to produce brake drag below pound test of your line.
5. Keep free from grit and dirt.

Using the Anti-Reverse Lock

All Airex reels are equipped with Airex anti-reverse lock which is very convenient for:

- Fighting heavy fish — put it "on" as soon as you set the hook. When fish takes line out against drag brake, stop turning crank handle. Resume retrieving as soon as fish stops.
- Landing or netting the fish.
- Trolling — Airex reels make perfect trolling outfits with anti-reverse lock "on" and drag brake properly adjusted.
- Still fishing — Simply feed out enough line for your purpose, set anti-reverse lock.
- Carrying outfit from place to place — set hook of lure in the guide, tighten line with reel and set anti-reverse lock "on".
- Keep anti-reverse lock in "off" position except when playing fish.

Service of Rods and Reels

Airex and all its Authorized Service Stations give quick service at reasonable cost. If you desire, mail direct to Airex with postage prepaid, insured and return address clearly shown. Write explaining needs. Be sure equipment is properly packaged to prevent damage in transit.

Use of Manual Pickup

Vagabond — Beachcomber


Loosen bail roller screw until end of bail is released from bail roller assembly. *Do not remove screw completely.* Then tighten screw to secure bail roller.

Remove brake nut and spool. Remove two screws on inside of cup which secure bail retainer. Now the other end of bail can be pulled out from its opening in cup. Replace bail retainer and screws.

Mastereel Aristocrat

Loosen bail roller screw until end of bail is released from bail roller assembly. *Do not remove screw completely.* Then tighten screw to secure bail roller.

Remove brake nut and spool. Disengage other end of bail by removing screw from cover plate. After bail has been disengaged remove bail spring to avoid interference with cup rotation. Replace cover plate and screw.



Cast in the usual manner

When lure strikes water, immediately flip line over pickup roller with left hand

Weight of Lines

For casting lures and baits from 1/16 to 5/8 ounce, use lines from 4 lb. test to 8 lb. test. For casting lures and baits from 5/8 to 1 3/4 ounce, use lines from 8 lb. test to 15 lb. test. The latter suggestion would apply, in the majority of cases, to surf casting or for heavy duty fresh water game fish.

Line Capacities of Fresh Water Reels

Line Test	Thickness	Approx. Yds.
4-lb. monofilament	0.010"	210
4-lb. braided	0.009"	225
6-lb. monofilament	0.012"	190
6-lb. braided	0.011"	200
8-lb. braided	0.012"	190


Line Capacities of Airex Beachcomber

Line Test	Thickness	Approx. Yds.
10-lb. monofilament	0.0142"	335
12-lb. monofilament	0.0150"	270
15-lb. monofilament	0.0162"	235
12-lb. braided	0.0170"	210

No. 311 MASTEREEL

Aristocrat

MODEL 4



	Price
310-12 Screw, cover	\$.10
310-14 Pawl, anti-reverse	.10
310-15 Pin, anti-reverse	.10
310-16 Sleeve, anti-reverse	.30
310-18 Spring, anti-reverse	.10
310-38 Stud, eccentric	.10
310-39 Yoke, eccentric	.10
310-40 Roller, eccentric	.10
310-150 Handle, assembly	1.00
310-180 Wing Nut, brake	.30
310-184 Housing	1.50
311-20 Gear and Shaft, drive	1.00

	Price
311-30 Spring	.15
311-33 Screw, bail spring	.10
311-34 Cover, bail	.25
311-35 Screw, bail cover	.10
311-57 Bail	2.10
311-65 Throw-on Arm	1.20
311-93 Cover and Anti-reverse Assembly	1.75
311-98 Main Shaft and Click Gear Assembly	1.35
311-174 Cup and Bushing Assembly	2.25

	Price
315-15 Screw, drive	.10
315-50 Nylon Brake (click gear)	.50
315-56 Bushing, brake	.10
330-62 Roller-Bail	.15
330-64 Screw, bail roller (special)	.15
330-65 Bail Roller Cap	.35
330-121 Eylet	.10
Cat. 813 Spool	1.50
Cat. 818 Chenille, wire	.25 pkg.


Questions most asked about Spinning

Q. What are the advantages of a spinning reel?

A. *Backlash is eliminated.* The lightest baits with comparatively lighter lines can be cast great distances with ease and accuracy.

Q. What is different about a spinning reel?

A. The ordinary fishing reel operates with a revolving drum which is hampered by necessary friction and permits the line to reverse itself (this is called backlash). The spinning reel is a stationary spool and the line peels off the open end like thread off a spool.



Q. Is it hard to cast with a spinning reel?

A. Anyone can pick up the basic principles of spinning in a few minutes. Even women will find it easy to use spinning tackle.

Q. Is spinning tackle adaptable to most types of fishing?

A. Yes. Spinning is the most universal method. Can be used for light lure casting, fly fishing, trolling, and still fishing, cut bait fishing, live bait, and drift fishing.

Q. Why do I get a longer, easier cast with light lures?

A. There is a minimum of friction resistance (a paper clip's weight is sufficient to make a good cast).

Q. Why is it possible to catch large fish on light test line?

A. The adjustable drag brake built into all Airex reels permits easy fish handling. When your fish exerts pressure approaching line's breaking point the drag brake operates and the line is automatically released from the spool, thus eliminating line breakage.

Q. Can I adjust this drag while playing the fish?

A. Airex finger tip brake control can be adjusted at any time.

Q. How much line will my Airex reel hold?

A. It will easily hold two hundred yards of 6 lb. test line.

Q. Can I use my spinning reel for trolling or still fishing?

A. Yes. The anti-reverse lock ideally adapts your reel for these types of fishing.

Q. How do I change spools on this reel?

A. Remove wing nut and then spool, replace with extra spool, replace wing nut and adjust drag.





Q. Can cast be controlled?

- A. In two ways. Either drop index finger on the spool, stopping line, or turn handle which automatically closes pickup arm or bail.

SPINNING LINES

Q. Why should I use Airex spinning line?

- A. One of the advantages in spinning is the use of light long-casting spinning line which is designed to give perfect balance to your equipment.

Q. How many types of spinning line are there?

- A. Basically two, braided and monofilament.



Q. What should I look for in a braided line?

- A. A good braided spinning line should be perfectly round, should not flatten or absorb water, and be

sufficiently stiff to allow good casting distance. Airex lines have about 72 "picks" to the inch as compared to the average 36 to 40 "picks" per inch.

Q. What should I look for in a good monofilament?


- A. A soft pliable monofilament with stretch control. So-called "soft" monofilaments have so much stretch that hooking a fish is difficult. Airex monofilament is soft and limp but with sufficient stretch to absorb the shock of a heavy strike.

Q. What test line is recommended?

- A. That depends on the weight of the lure to be used. Light 4 lb. line for $\frac{1}{8}$ to $\frac{1}{4}$ oz. lures, 6 lb. test line for $\frac{3}{8}$ to $\frac{1}{2}$ oz. lures. In general try to use the smallest size line practical for your type of fishing.

Q. How do I wind the spool?

- A. For best results wind your spool like this:
With reel on rod handle, run line through large butt guide and attach to reel spool. Apply tension to line with thumb and index finger of right hand. *Wood spool must revolve while line is taken from it — to prevent line twist.* Easiest way to do this is to make an axle with a pencil or nail. *Backing* — not over 100 yards of any line need be used in average fishing, and a filler or backing of any sort of heavier line or thread must be used to fill the spool.






WHAT LURES CAN I USE

Q. Is spinning restricted to spinning lures?

A. No. Any lure from 1/16 oz. through the standard bait casting lures may be used.

Q. Are spinning lures preferred?

A. Yes. Airex spinning lures are designed by spinning experts. Their various sizes, shapes, weights and action cover all types of fishing.



Q. Can I use my present bait casting lures?

A. Yes. You will find that you get even better accuracy and distance than before.

Q. Can I use trout flies and brass bugs?

A. Yes, by using Airex ball float. The plastic ball float is placed on the end of your line and fly is fished on a drop a few feet back from the float.



Q. How can I prevent spinning lures from twisting my line?

A. By using Airex plastic keel in front of the swivel.

Q. Will spinning tackle handle live bait?

A. You will find that you can cast worms, hellgrammites, live minnows, etc., great distances with ease with Airex spinning tackle, without the addition of any extra weight.

SALT WATER SPINNING

Q. Can salt water fish be taken on Airex spinning tackle?

A. Yes. The ease of casting with a spinning reel makes it ideal for many types of casting and surface fishing. The new Airex Salt Water Tackle has been especially designed for spin casting from boats, in bays, tidal rivers and flats, for surf casting and jetty fishing.

Q. What salt water fish may I catch?

A. Striped bass, bluefish, weakfish, yellow tail, small tarpon, bone fish, barracuda and sailfish. A 261 lb. mako shark was recently caught on an Airex Beachcomber, setting a world's record for spinning tackle.

Q. What type of spinning rods are used in salt water spinning?

A. Basically four types:

1. Short, medium action one-handed rod for bay and flat casting.
2. Large, light two-handed rod for light surf squidding.
3. The regular fresh water spinning rod for light salt water fishing.
4. 8½' to 9' long, powerful rods with an 18" or 24" handle for steelhead and salmon fishing in the Pacific.

Q. What weight line should I use?

A. This depends on rod action and weight of lures. 4, 6 or 8 lb. test line should be used for fresh water fishing and 8 to 18 lb. line for surf casting or heavy boat fishing with lures up to 3 oz.

Q. Is spinning an advantage in surf fishing?

A. Yes, for the same basic reasons that spinning is advantageous in fresh water fishing.

1. The spinning reel eliminates backlash and also permits easy, trouble-free night fishing.
2. A 9' surf spinning rod, with 10 to 12 lb. monofilament line permits easier and longer casting with lures of 1½ to 1¾ oz. These lures are difficult to cast with standard surf equipment and have proved to be better fish getters than the large 3 to 4 oz. plugs and squids.

SPINNING RODS

Q. Do I have to have a special spinning rod?

A. They are preferable, but an Airex conversion handle and conversion guide, together with your old bait casting tip will get you started spinning.

Q. What are the important characteristics of a spinning rod:


- A. 1. Tapered guides are of special design, raised away from the rod. They are spaced to eliminate line slap and permit long, accurate casts.
2. Straight cork grip and tapered reel rings permit adjustment of the reel on the handle for perfect balance.



Large graduated spinning guides on all Airex rods.

Q. What is the best rod weight?

A. This depends on weight of lures. With ⅛ to ⅜ oz. lures use, in general, a light rod. With ⅜ to ½ oz. lures, use a medium rod. Standard bait casting lures can be cast with medium rod.



Knots for Nylon Lines

The following knots are recommended for both braided and monofilament nylon lines.

1. Joining line to backing, to leader, or repairing broken line — use barrel or blood knot.
2. Joining line to swivel, snap or lure — use clinch knot.
3. No leader is needed when using monofilament. Do not jerk knots when tightening.

THE IMPROVED CLINCH KNOT




PERFECTION LOOP KNOT



Take one turn around the nylon, and hold the crossing between thumb and forefinger.

Take a second turn around crossing, and bring end around again between turns.

Pass Loop B through Loop A.




Like this. Pull on loop and leader until jammed.



The finished knot; about 75% of line strength.

BLOOD KNOT


Best knot for tying nylon to nylon. The barrel knot is a variation of the "blood" knot; about 87% of line strength.



Lap ends of strands to be joined, and twist one around other making at least 3 turns. Place the end between strands.




Hold the end against turns already made at point marked "X". Now wind other short end around other strand for same number of turns, but in opposite direction.




Appearance of finished knot. Cut off short ends, close to knot.

MULTIPLE FISHERMAN'S KNOT

This knot is as good as blood knot for tying 2 strands of line or for fly line leaders.



Lap left end of line, loop over itself as in A, wrap 2 to 5 strands as shown, and pull on end to tighten loop A. Repeat performance on loop B. Pull slowly to tighten.



Completed knot — about 85% of line strength. Trim ends short.

LINE TWIST

To prevent line twist, use a small swivel snap on lure and snap one Airex celluloid keel on the line a few inches ahead of the swivel.



AIREX NEW MASTEREEL

Aristocrat

Here's America's newest and finest spinning reel — with full bail or manual pickup. Incorporates all the features of the famous Bache Brown Mastereel. Nylon expansion drum brake. Dependable precision adjustment on brake eliminates seizure. Durable bronze bearings for friction-free long life, convex-face gears are guaranteed for the life of the reel. Can be converted to manual operation in a few seconds. Finger tip anti-reverse control, gear ratio 3.44 to 1, twenty-two inches of line retrieved per handle revolution. 200 yard 6 lb. test line capacity; extra unbreakable spool packed with each reel.

Catalog No. 311. Price \$23.95



AIREX BACHE BROWN

Mastereel

This is the famous Bache Brown Mastereel — ideal for all fresh water fishing. Line easily peels off fixed spool, just like thread. New perfectly balanced cup and handle and new nylon expansion drum brake. Handle counter-balanced, strongly secured, reversible for compact storage. Sturdy Monel finger for strong, positive line pickup. Durable bronze bearings for friction-free long life. Convex-faced gears for smooth, noiseless operation, are guaranteed for life of reel. Finger-tip anti-reverse control, gear ratio 3.66 to 1, 200 yard 6 lb. test line capacity; extra unbreakable spool packed with each reel.

Catalog No. 310. Price \$22.75



AIREX BACHE BROWN

Spinster

Famous popular priced Airex Spinning Reel. All the basic spinning features of the Mastereel at a price anyone can afford. Durable bearings throughout; convex-faced gears with lifetime guarantee assure strong strip-proof performance. Exclusive patented Airex Nylon expansion drum brake. Finger tip anti-reverse control. Gear ratio 3.39 to 1. Automatic line pickup. Handle reversible for compact storage. 200 yards 6 lb. test line capacity. Special high impact phenolic housing cover.

Catalog No. 315. Price \$12.95




AIREX

Vagabond

A big new value for the light tackle enthusiast! Same handle, spool and brake as the famous Mastereel! Extremely light in weight — only 10 ounces — yet of strong Duraloy construction and beautiful durable finish. Features entirely new positive stainless steel full bail and roller bearing pickup and has all the famous Airex features, including patented internal expansion brake. Readily converted to manual type reel in less than 10 seconds. Gear ratio 3.39 to 1. Light weight removable spool, 200 yard 6 lb. test line capacity. Convex-faced lifetime guaranteed gears for smooth, noiseless operation.

Catalog No. 330. Price \$17.50



AIREX HEAVY DUTY

Beachcomber


The new big Airex reel with easy-throw full bail or manual pickup, equally adaptable to surf-casting, boat fishing, "squidding" or trolling for game fish. Also suitable for heavy fresh water fishing. Lifetime guaranteed convex-faced gears. Full stainless steel bail with roller pickup. Can be converted to manual operation in a few seconds. Gear ratio 3.88 to 1. 270 yard 12 lb. test line capacity.

Catalog No. 325. Price \$28.50

Surfcasting with the Beachcomber



- 1 Ready position. Point rod toward target as right index finger picks up line and left hand flips bail down. (See previous hand positions.)
- 2 Start of back stroke is smooth and even with index finger still holding line.
- 3 When end of back stroke is reached forward cast should start immediately and without hesitation.
- 4 Index finger releases line at about 11 o'clock of follow through.
- 5 "Fish on" retrieve. When fighting heavy fish use anti-reverse lock at all times. At retrieve, butt of rod is in rod socket.



AIREX FRESH WATER SPINNING RODS


Cat. No.		Price	Cat. No.		Price
SOLID GLASS RODS					
236	One-piece — 6'0" overall length — 12" detachable butt — 5'0" tip — medium action — 4¾ oz.	\$8.95	243	Same as 242 with sliding reel seat.....	16.95
237	Two-piece—6'0"—medium action—5 oz.	11.50	244	Two-piece—6'6"—medium action—4½ oz.	15.95
270	One-piece heavy duty boat rod — 6'6" overall length—5'0" tip—18" detachable butt	13.50	245	Same as 244 with sliding reel seat.....	16.95
TUBULAR GLASS RODS			246	Two-piece—7'0"—medium action—4¾ oz.	16.95
240	Two-piece—6'6"—light action—4¼ oz.	12.95	247	Same as 246 with sliding reel seat.....	17.95
241	Two-piece—7'0"—medium action—4¾ oz.	13.95	252	Two-piece—6'6"—light action—4¼ oz.	18.95
242	Two-piece—6'6"—light action—4¼ oz.	15.95	253	Same as 252 with sliding reel seat.....	19.95
			254	Two-piece—6'6"—medium action—4½ oz.	18.95
			255	Same as 254 with sliding reel seat.....	19.95
			256	Two-piece—7'0"—light action—4½ oz.	19.95
			257	Same as 256 with sliding reel seat.....	20.95
			258	Two-piece—7'0"—medium action—4¾ oz.	19.95
			259	Same as 258 with sliding reel seat.....	20.95

Cat. No.		Price
260	Two-piece—6'6"—light action—4¼ oz.....	22.95
261	Two-piece—6'6"—medium action—4½ oz.....	22.95
262	Two-piece—7'0"—light action—4½ oz.....	22.95
263	Two-piece—7'0"—medium action—4¾ oz.....	22.95
264	Same as 260 with sliding reel seat.....	23.95
265	Same as 261 with sliding reel seat.....	23.95
266	Same as 262 with sliding reel seat.....	23.95

Cat. No.		Price
267	Same as 263 with sliding reel seat.....	23.95
268	Aristocrat Companion Rod—6'6"—3¾ oz.....	18.95
269	Same as 268 with sliding reel seat.....	19.95
275	Two-piece Boat Rod—6'6" length.....	21.50

TONKIN CANE ROD

135	Two-piece—7'0"—medium action—4¾ oz.....	24.95
-----	---	-------



AIREX SALT WATER SPINNING RODS


SOLID GLASS RODS

270	One-piece—6'6" overall length—5'0" tip —18" detachable butt	13.50
271	One-piece—8'0" overall length—6'2" tip —22" detachable butt	15.50

TUBULAR GLASS RODS

273	One-piece—8'0" overall length—6'4" tip —20" Cork detachable grip.....	17.95
-----	--	-------

274	One-piece—8'0" overall length—6'6" tip —18" Wood detachable butt—Live Bait Rod	19.95
275	Two-piece Boat Rod—6'6" length.....	21.50
276	Two-piece Surf Rod—Double Cork Grip— 9'0" length	27.50
277	One-piece Surf Rod—9'6" overall length —7'8" tip—22" detachable butt.....	29.50
278	Two-piece Surf Rod—8'6" overall length	26.50



AIREX Fresh and Salt Water Spinning Lures

In illustration "600" series lures are carded for dealers' display convenience.


Cat. No.	Description	Lure Wt. Oz.	Price	Cat. No.	Description	Lure Wt. Oz.	Price
502	Airex Vogue	1/4	\$.65	531	Airex Baby Wobbler—Nickel Blade	1/4	.55
504	Airex Brown Godart—Treble Hook	1/4	.65	532	Airex Baby Widow	1/6	.55
510	Airex One-Eyed Wobbler	1/2	.65	533	Airex Debbil—Green Body, Yellow Head, Feathered Red Tail	3/8	.75
512	Airex Gold Digger	1/8	.65	534	Airex Jumbo Preska Perche—Nickel Blade	1/2	.75
516	Airex Merry Widow—Brass Blade	1/3	.65	535	Airex Gimpy—Red and White—Yellow Tail	3/8	.85
521	Airex Preska Perche—Natural Body—Brass Blade	1/5	.65	536	Airex Gimpy—Yellow and White—Red and White Tail	3/8	.85
522	Airex Preska Perche—Natural Body—Nickel Blade	1/5	.65	538	Airex Hoppie—Perch Finish	3/8	.85
523	Airex Preska Perche—Black Body—Nickel Blade	1/5	.65	539	Airex Hoppie—Black—Silver Scale	3/8	.85
524	Airex Godie	1/5	.65	540	Airex Hoppie—Frog Finish—Green and Black	3/8	.85
525	Airex Devon-Aire	3/8	.65	541	Airex Hoppie—Red and White	3/8	.85
526	Airex Crosstail—Chrome Blade—Red and White Tail	1/2	.65	542	Airex Hoppie—Perch Finish	1/2	1.00
527	Airex Crosstail—Painted Red and White Blade—Yellow Tail	1/2	.65	543	Airex Hoppie—Black—Silver Scale	1/2	1.00
528	Airex Baby Wobbler—Brass Blade	1/6	.55	544	Airex Hoppie—Frog Finish—Green and Black	1/2	1.00
529	Airex Baby Wobbler—Nickel Blade	1/6	.55	545	Airex Hoppie—Red and White	1/2	1.00
530	Airex Baby Wobbler—Brass Blade	1/4	.55				

Cat. No.	Description	Hook Size	Lure Wt. Oz.	Price
546	Airex Buggie—Red and White.....	1/4	.85	
547	Airex Buggie—Yellow and Black....	1/4	.85	
548	Airex Buggie—Frog Finish	1/4	.85	
549	Airex Buggie—Black—Silver Scale	1/4	.85	
550	Airex Popit—Perch Finish	1/3	1.15	
551	Airex Popit—Frog Finish	1/3	1.15	
552	Airex Popit—Red and White.....	1/3	1.15	
553	Airex Popit—Black Ghost	1/3	1.15	
554	Airex Popit—White Ghost	1/3	1.15	
570	Airex Pixie—Red and White	1/2	1.35	
571	Airex Pixie—Green and Yellow	1/2	1.35	
574	Airex Eelskin—Silver	1/2	.85	
575	Airex Eelskin—Lake Blue	1/2	.85	
576	Airex Hammerhead	3/8	.85	
579	Airex Bait Spinner	1/2	.85	

SALT WATER LURES

925	Airex Eelskin—Silver	3/0	1 1/4	1.15
926	Airex Eelskin—Sea Blue	3/0	1 1/4	1.15
927	Airex Eelskin—Silver	6/0	2	1.25
928	Airex Eelskin—Sea Blue	6/0	2	1.25
929	Airex Bait Spinner	1/0	7/8	.95
930	Airex Bait Spinner	3/0	1 1/4	1.15
931	Airex Bait Spinner	6/0	2	1.25

Cat. No.	Description	Hook Size	Lure Wt. Oz.	Price
932	Airex Wobbler	1/0	7/8	.85
933	Airex Wobbler	3/0	1 1/4	.95
934	Airex Wobbler	6/0	2	1.15
935	Airex Spoon	3/0	1 1/4	1.15
936	Airex Spoon	6/0	2	1.25
937	Airex Hammerhead	3/0	7/8	1.15
938	Airex Hammerhead	5/0	1 1/2	1.35
939	Airex Preska Bullet— Chrome Blade and Head— O'Shaughnessy Hook	4/0	1	1.00
940	Airex Preska Bullet— Chrome Blade and Head— O'Shaughnessy Hook	6/0	1 1/2	1.25
941	Airex Crosstail—Chrome with Red Flash	3/0	1	.85
942	Airex Crosstail—Chrome with Red Flash	5/0	1 1/2	1.00
943	Airex Gypsy Do — Chrome	3/0	1	.85
944	Airex Gypsy Do — Chrome	5/0	1 1/2	1.00
945	Airex Flat Squid—Chrome —Red Keel—Yellow and White Feather Tail.....	5/0	1 1/2	.90
946	Airex Mullet Squid— Chrome—Red Keel—Yellow and White Feather Tail	3/0	1	.75



AIREX Gift Kits



MASTEREEL ARISTOCRAT KIT

Complete Mastereel Aristocrat spinning outfit packed in attractive metal tackle box. Kit includes: 1 Airex Mastereel Aristocrat and extra spool, 100 yards Airex Monofilament spinning line, 100 yards Airex Braided spinning line, 8 Airex lures, 2 stainless steel leaders, 4 snap swivels, 6 anti-twist keels, 2 line clips, 1 plastic ball float.

Catalog No. 711. Price \$33.00



NEW VAGABOND KIT

Complete Vagabond spinning outfit packed in attractive metal tackle box. Kit includes: 1 Airex Vagabond Reel and extra spool, 100 yards Airex Monofilament spinning line, 100 yards Airex Braided spinning line, 5 Airex lures, 2 stainless steel leaders, 2 anti-twist keels, 2 snap swivels, 2 line clips, 1 plastic ball float.

Catalog No. 730. Price \$24.95



SPINSTER KIT

Complete Spinster spinning kit outfit in attractive metal tackle box. Kit includes: 1 Airex Spinster Reel and extra spool, 100 yards Airex Monofilament spinning line, 100 yards Airex Braided spinning line, 5 Airex lures, 2 stainless steel leaders, 2 anti-twist keels, 2 snap swivels, 2 line clips, 1 plastic ball float.

Catalog No. 715. Price \$20.50



AIREX Lure Gift Kits

Catalog No. 592 — Ten lure gift box. Contains 1 each, Preska Perche Natural, Preska Perche Black, Devon-Aire, Godie, Crosstail, Vogue, Brown Godart, One-Eyed Wobbler, Airex Gold Digger, Airex Merry Widow. Packed in utility plastic box.

\$6.50

Catalog No. 593—Vest Pocket Plastic Box. Contains 1 each, Preska Perche, Devon-Aire, Airex Merry Widow, 3 anti-twist keels, 2 steel spinning leaders, 3 spinning snap swivels.

\$2.50



AIREX Nylon Fresh and Salt Water Spinning Lines

For effortless casting nothing finer can be found anywhere than Airex Spinning Lines of Braided and Monofilament Nylon. Sport fishermen find it gives them greater distance, more accurate casting and sure catches.

Scientifically treated and pre-stretched to the required elasticity, Airex Lines are uniformly round, and will not flatten. Wound on trim pocket-size connected spools, packed in convenient plastic utility boxes.

NEW AIREX

AIR-FLITE™

BRAIDED NYLON
SPINNING LINE



- Pre-tested, pre-stretched and heat-set • Special extra tight braid • 72 picks to the inch • Braided over center core • Longer life • Livelier action • Minimum drag

AIREX FRESH WATER SPINNING LINES AIR-FLITE BRAIDED NYLON

Two 100 Yd. Spools Connected in Plastic Box

Catalog No.		per Box
411	4 lb. test—Tan	\$4.40
414	4 lb. test—Mist Grey	4.40
415	4 lb. test—Gumbo	4.40
416	4 lb. test—Mist Green	4.40
419	4 lb. test—Lake Green	4.40
421	8 lb. test—Tan	4.40
424	8 lb. test—Mist Grey	4.40
425	8 lb. test—Gumbo	4.40
426	8 lb. test—Mist Green	4.40
429	8 lb. test—Lake Green	4.40
431	6 lb. test—Tan	4.40
434	6 lb. test—Mist Grey	4.40
435	6 lb. test—Gumbo	4.40
436	6 lb. test—Mist Green	4.40
439	6 lb. test—Lake Green	4.40

NEW AIREX

"AIR-X"

MONOFILAMENT
SPINNING LINE



- Newly developed • Calibrated and tested • Super limp, remains soft longer • Invisible in water • Longer casts—greater accuracy • No tendency to spring off spool

AIR-X MONOFILAMENT

Two 100 Yd. Spools Connected in Plastic Box

Catalog No.		per Box
456	4 lb. test—Mist Green	\$2.70
461	6 lb. test—Mist Green	2.90
466	8 lb. test—Mist Green	3.60

AIREX SALT WATER SPINNING LINES


AIR-FLITE BRAIDED NYLON

Catalog No.	Six 75 Yd. Spools Connected	per Spool
445	12 lb. test—Tan	\$2.00
447	15 lb. test—Tan	2.15
449	18 lb. test—Tan	2.30

AIR-X MONOFILAMENT


Catalog No.	Six 75 Yd. Spools Connected	per Spool
470	10 lb. test—Sea Green	\$1.75
472	12 lb. test—Sea Green	1.90
475	15 lb. test—Sea Green	2.00

AIREX Spinning Accessories




AIREX CONVERSION HANDLE AND GUIDE

Starts you spinning with your own bait-casting rod. Fits most conventional rods. 1-inch dia. adapter guide included. Wt. 4 1/2 oz. Catalog No. 850, price \$3.75




AIREX ANTI-TWIST KEEL

Kidney-shaped transparent lucite keel. Snapped on to the line to eliminate possibility of line twist. Catalog No. 882. .25



PLASTIC FLOAT— for dry fly spinning

Transparent. Variable weight—1/8 oz. empty, 1/4 oz. filled. Catalog No. 825. .25



AIREX FOLDING NET

Lightweight, compact. Heavily Anodized against corrosion. Catalog No. 915.

\$4.50

No. 809 — Airex Beachcomber Spool. \$2.50



No. 813—Combination Spool for Mastereel, Aristocrat, Spinster and Vagabond. \$1.50



No. 821 — Nylon Line Clip for Mastereel, Aristocrat, Spinster and Vagabond. 3 clips in package. .25

No. 823 — Nylon Clip for Airex Beachcomber. 2 clips in package. .25





AIREX WARRANTY

All Airex products are unconditionally guaranteed for ninety days to be free of defective materials or workmanship. Any product or part thereof, found defective upon factory inspection, will be promptly replaced or repaired free of charge.

THE GEARS OF ALL AIREX REELS ARE UNCONDITIONALLY GUARANTEED FOR LIFE.

NOTE: In the event that your reel requires service of any kind within the 90 day guarantee period, please forward your reel to: Airex Service Dep't., 1460 Chestnut Ave., Hillside 5, N. J., accompanied by your purchase receipt.

AIREX CORPORATION • 411 FOURTH AVE., NEW YORK 16, N.Y.

Division of The Lionel Corporation

Printed in U.S.A.

All prices structural or mechanical designs in this catalog
are subject to change without notice. I.M.M.A. 1954