

Penn Spinning Reel- Line Comparison					
	Mono Cap	Braid Capacity			
		20 lb	30 lb	40 lb	60 lb
Penn Affinity Series					
AF1000	140/6	151	100	76	
AF2000	165/8	238	158	119	
AF3000	185/10	337	225	169	
AF4000	220/12	479	319	240	
Penn Battle					
BTL1000	80/6	86	57	43	
BTL2000	140/8	202	134	101	
BTL3000	140/10	255	170	128	
BTL4000	172/12	374	249	188	
BTL5000	190/17	599	399	300	
BTL6000	220/20	794	529	398	267
BTL7000	280/25	1264	843	634	425
BTL8000	260/30	1405	937	704	472
Penn Battle II					
BTLII1000	105/6	113	81	57	
BTLII2000	125/8	180	120	90	
BTLII2500	140/10	255	170	128	
BTLII3000	120/12	261	174	131	
BTLII4000	165/12	359	239	180	
BTLII5000	135/20	487	325	244	164
BTLII6000	210/25	948	632	475	319
BTLII8000	230/30	1243	829	623	418
Penn Captiva					
CV500	140/4	101	67	51	
CV2000	220/6	237	158	119	
CV4000	200/10	365	243	193	
CV5000	200/12	435	290	218	
CV6000	225/16	613	408	307	
CV8000	275/20	993	662	498	334
Penn Captiva Series 2 (CV2)					
CV2 2000	220/6	237	158	119	
CV2 4000	200/8	288	192	144	
CV2 5000	200/12	435	290	218	
CV2 6000	225/16	613	408	307	298
CV2 8000	275/20	993	662	498	334
Penn Captiva Live Liner					
CLL4000	250/10	456	304	228	

CLL5000	200/12	435	290	218	146
CLL6000	225/16	613	408	307	206
Penn Clash					
CLA2000	125/8	180	120	90	
CLA2500	140/10	255	170	128	
CLA3000	120/12	261	174	131	88
CLA4000	165/12	359	239	180	121
CLA5000	135/20	487	325	244	164
CLA6000	210/25	948	632	475	319
CLA8000	230/30	1243	829	623	418
Penn Conflict					
CFT1000	105/6	113	75	57	
CFT2000	125/8	180	120	90	
CFT2500	140/10	255	170	128	
CFT3000	120/12	261	174	131	88
CFT4000	165/12	359	239	180	121
CFT5000	135/20	487	325	244	164
CFT6000	210/25	948	632	475	319
CFT8000	230/30	1243	829	623	418
Penn Conquer					
CQR2000	130/8	187	125	94	
CQR4000	165/12	359	239	180	
CQR5000	170/17	536	357	268	180
CQR7000	170/20	614	409	308	206
CQR8000	230/30	1243	829	623	418
Penn Fierce					
FRC1000	80/6	86	58	43	
FRC2000	140/8	202	134	101	
FRC3000	140/10	255	170	128	
FRC4000	170/12	370	246	185	124
FRC5000	190/17	599	399	300	201
FRC6000	220/20	794	529	398	267
FRC7000	280/25	1264	843	634	425
FRC8000	260/30	1405	937	704	472
Penn Fierce II					
FRCII1000	105/6	113	75	57	
FRCII2000	125/8	180	120	90	
FRCII2500	125/8	180	120	90	
FRCII2500LL Live Liner	105/6	113	75	57	
FRCII3000	120/12	261	174	131	88
FRCII4000	165/12	359	239	180	121
FRCII4000LL Live Liner	165/12	359	239	180	121

FRCII5000	135/20	487	325	244	164
FRCII6000	210/25	948	632	475	319
FRCII6000LL Live Liner	210/25	948	632	475	319
FRCII8000	230/30	1243	829	326	418
FRCII8000LL Live Liner	230/30	1243	829	326	418
Penn Graphite					
220GR	130/6	140	93	70	
230GR	140/8	202	134	101	
240GR	150/12	326	217	164	110
250GR	275/12	598	399	300	201
Penn Powergraph Series					
Original Powergraph (™)					
PG1000	100/10	182	121	94	
PG1500	210/8	302	202	152	
PG2000	220/10	401	267	201	
PG3000	210/12	459	304	229	154
PG4000	200/15	545	363	273	183
PG6000	250/15	681	454	341	229
PG7000	225/20	812	541	407	273
Powergraph 2 (II)					
PG1000ii	100/10	182	121	91	
PG1500ii	210/8	302	202	152	
PG2000ii	220/10	401	267	201	
PG3000ii	210/12	459	304	229	154
PG4000ii	200/15	545	363	273	183
PG6000ii	250/15	681	454	341	229
PG7000ii	225/20	812	541	407	273
Powergraph 3 (III)					
PG1000iii	190/6	205	136	103	
PG1500iii	210/8	302	202	152	
PG2000iii	220/10	401	267	201	
PG3000iii	210/12	459	304	229	154
PG4000iii	200/15	545	363	273	183
PG6000iii	250/15	681	454	341	229
PG7000iii	25/20	812	541	407	273
Powergraph V					
VPG1000	190/6	205	136	103	
VPG1500	210/8	302	202	152	
VPG2000	220/10	401	267	201	
VPG3000	210/12	459	304	229	154
VPG4000	200/15	545	363	273	183
VPG6000	250/15	681	454	341	229

VPG7000	225/20	812	541	407	273
Penn Prion					
PR900	140/6	151	100	76	
PR1200	190/6	205	136	103	
PR1800	210/8	302	202	152	
PR2400	220/10	401	267	201	
Penn Pursuit					
PUR3000	140/10	255	170	128	
PUR4000	170/12	370	246	185	124
PUR5000	190/17	599	399	300	201
PUR6000	220/20	794	529	398	267
PUR7000	280/25	1264	843	634	425
PUR8000	260/30	1405	937	704	472
Penn Pursuit II					
PURII3000	130/10	237	158	119	
PURII4000	170/12	370	246	185	124
PURII5000	160/20	578	385	290	194
PURII6000	185/20	668	445	335	224
PURII7000	280/25	1264	843	634	425
PURII8000	260/30	1405	937	704	472
Penn Sargus					
SG1000	80/6	86	57	43	
SG2000	140/8	202	134	101	
SG3000	140/10	255	170	128	
SG4000	170/12	370	246	185	124
SG5000	190/17	599	399	300	201
SG6000	220/20	794	529	398	267
SG7000	280/25	1264	843	634	425
SG8000	260/30	1405	937	704	472
Penn Silver Series					
101	200/4	145	96	72	
103	250/10	456	304	228	
103C	250/10	456	304	228	
103CS	250/10	456	304	228	
104	200/15	545	363	273	183
104CS	250/12	544	362	273	183
105	200/20	722	481	362	243
105C	200/20	722	481	362	243
105CS	200/20	722	481	362	243
Penn Silverado					
SV2000	200/6	237	158	119	

SV4000	200/10	365	243	183	
SV5000	200/12	435	290	218	146
SV6000	225/16	613	408	307	206
SV8000	275/20	933	662	498	334
Penn Slammer Series					
Slammer					
260	160/10	292	194	145	
360	180/12	392	261	196	132
460	210/15	572	381	287	192
560	190/20	686	457	344	231
760	230/30	1243	829	623	418
Slammer Live Liner					
460L	210/15	572	381	287	192
560L	190/20	686	457	344	231
760L	230/30	1243	829	623	418
4600L	210/15	572	381	287	192
5600L	190/20	686	457	344	231
Slammer III					
SLA3500	285/8	410	273	206	
SLA4500	235/12	511	341	256	172
SLA5500	230/15	626	417	314	210
SLA6500	205/20	740	493	371	249
SLA7500	220/30	1189	792	596	400
SLA8500	260/40	1878	1251	941	631
SLA9500	240/50	2178	1451	1092	732
SLA10500	255/50	2314	1542	1160	778
Penn Spinfisher Series					
1st Generation (700 to 757, Z Series)					
700	250/20	903	601	452	303
702	250/20	903	601	452	303
704, 704Z	235/20	848	565	425	285
705, 705Z	275/20	993	565	498	334
706, 706Z	270/25	1219	812	611	410
710, 710Z	200/15	545	363	273	210
711, 711Z	200/15	545	363	273	210
712, 712Z	200/10	365	243	183	
713, 713Z	200/10	365	243	183	
714, 714Z	200/6	215	143	108	
716, 716Z	150/6	161	108	81	
720Z	150/8	216	144	108	
722Z	150/8	216	144	108	
747	250/20	903	601	452	303
757	325/20	1173	782	588	394

2nd Generation (420SS to 850SS)					
420SS	120/6	129	86	65	
430SS	160/8	230	154	115	
440SS	160/12	348	232	174	117
450SS	190/15	517	345	259	174
550SS	240/15	653	435	327	220
650SS	220/20	794	529	398	267
750SS	260/25	1174	782	588	395
850SS	250/30	1351	901	677	454
3rd Generation (4200SS to 9500SS)					
4200SS	120/6	129	86	65	
4300SS	160/8	230	154	115	
4400SS	160/12	348	232	174	117
4500SS	190/15	517	345	259	174
5500SS	240/15	653	435	327	220
6500SS	220/20	993	529	398	267
7500SS	260/25	1174	782	588	395
8500SS	250/30	1351	91	677	454
9500SS	290/40	2095	1396	1050	704
4th Generation (420SSG to 950SSM)					
420SSG	120/6	129	86	65	
430SSG	160/8	230	154	115	
440SSG	160/12	348	232	174	117
450SSG	190/15	517	345	259	174
550SSG	240/15	653	435	327	220
650SSM	220/20	794	529	398	267
750SSM	260/25	1174	782	588	395
850SSM	250/30	1351	901	677	454
950SSM	290/40	2095	1396	1050	704
5th Generation SSV					
SSV3500	210/8	302	202	152	
SSV4500	185/12	402	268	202	
SSV4500LL Live Liner	185/12240/1	402	268	202	135
SSV5500	210/20	653	435	327	220
SSV6500	210/20	758	505	380	255
SSV6500BLS Bail-Less	210/20	758	505	380	255
SSV6500LL Live Liner	210/20	758	505	380	255
SSV7500	210/30	1135	756	569	381
SSV7500LC Long-Cast	300/20	1083	722	543	364
SSV8500	250/40	1806	1203	905	607
SSV8500LL Live Liner	250/40	1806	1203	905	607
SSV9500	220/50	1997	1330	1001	671
SSV10500	255/50	2314	1542	1160	778

Penn Torque Spinning					
TRQS5	210/20	758	505	380	255
TRQS7	300/25	1355	903	679	455
TRQS9	330/30	1784	1189	894	599
Penn UK, AU and EU Reels					
Accord Series					
1000	140/6	151	100	76	
2000	165/8	238	158	119	
3000	220/8	317	211	159	
4000	220/12	479	319	240	161
6000	240/15	653	435	327	220
7000	250/20	903	601	452	303
8000	300/20	1083	722	543	364
Affinity Series					
AF7000	295/4	213	142	107	
AF8000	328/4	237	158	119	
Applause					
1000	140/6	151	100	76	
2000	165/8	238	158	119	
3000	220/8	317	211	159	
4000	220/12	479	319	240	161
6000	240/15	653	435	327	220
7000	250/20	903	601	452	303
8000	300/20	1083	722	543	364
Atlantis Spinning					
4000	180/12	392	261	196	132
5000	250/12	544	362	273	183
7000	450/30	2433	1621	1219	817
8000	450/50	4084	2721	2047	1372
Prestige Series					
2000	165/8	238	158	119	
4000	220/12	479	319	240	
6000	240/15	653	435	327	220
8000	300/20	1083	722	543	364
Prion Series					
7200RD	155/8	223	149	112	
7300RD	140/10	255	170	128	
7400RD	165/12	359	239	185	121
9200RD	155/8	223	149	112	
9300FD	140/10	255	170	128	

9400FD	200/12	435	290	218	146
Surfmaster Series					
SM750	295/4	213	142	107	
SM850	295/4	213	142	107	
Surfblaster Series					
7000	295/4	213	142	107	
8000	330/4	238	159	120	